Index to Volume 34

*Author index**

A

Aarts LP (*see* Dongen et al). 2001;34:1035-40
Abel D (*see* White et al). 2001;34:1139-46
Abenhaim L (*see* Kurz et al). 2001;34:641-8
AbuRahma AF, Bates MC, Stone PA, Wulu JT. Comparative study of operative treatment and percutaneous transluminal angioplasty/stenting for recurrent carotid disease. 2001;34:831-8
Acher CW (*see* Turnipseed et al). 2001;34:47-53
Aguinaldo JG (*see* Reis et al). 2001;34:541-7
Al-Khattab Y (*see* Anwar et al). 2001;34:357-9 (Case rep.)
Albäck NA (*see* Ihlberg et al). 2001;34:269-76
Alcocer F (*see* Jordan et al). 2001;34:434-9
Algra A (*see* Bosch et al). 2001;34:1085-9
Algra A (*see* Oostenbrink et al). 2001;34:254-62
Allan PL (*see* Stuart et al). 2001;34:774-8
Allenberg JR (*see* Doerfler et al). 2001;34:587-593
Alvarado RG, Liu JY, Zwolak RM. Danazol and limb-threatening arterial thrombosis: two case reports. 2001;34:1123-8 (Case rep.)
Andrews JC (*see* Panneton et al). 2001;34:360-3 (Case rep.)
Antunes L (*see* Brunaud et al). 2001;34:673-9
Anwar S, Al-Khattab Y, Williams GT. An operative method for surgical revision of a late failure after endovascular repair of an abdominal aortic aneurysm. 2001;34:357-9 (Case rep.)
Aquino R, Johnnides C, Makaroun M, Whittle JC, Muluk VS, Kelley ME, Muluk SC. Natural history of claudication: long-term serial follow-up study of 1244 patients with claudication. 2001;34:962-71
Aquino RV, Rhee RY, Muluk SC, Tzeng EY, Carrol NM, Makaroun MS. Exclusion of accessory renal arteries during endovascular repair of abdominal aortic aneurysms. 2001;34:878-84
Arcelus JI, Caprini JA, Sehgal LR, Reyna JJ. Home use of impulse compression of the foot and compression stockings in the treatment of chronic venous insufficiency. 2001;34:805-11
Archie JP Jr. Presidential address: a brief history of arterial blood flow-from Harvey and Newton to computational analysis. 2001;34:398-404
Arko FR, Lee WA, Hill BB, Olcott C IV, Harris EJ, Dalman RL, Fogarty TJ, Zarins CK. Impact of endovascular repair on open aortic aneurysm surgical training. 2001;34:885-92
Ascher E (*see* Hingorani et al). 2001;34:1004-9
Ascher E (*see* Veith and Ascher). 2001;34:1135-6 (Obituary)
Ashton HA (*see* Lindholt et al). 2001;34:212-15
Astleford P (*see* Garcia et al). 2001;34:792-7
Ayav A (*see* Brunaud et al). 2001;34:673-9

B

Baccaglini U (*see* Kurz et al). 2001;34:641-8
Back MR (*see* Bandyk et al). 2001;34:411-20
Badimon J (*see* Kerr et al). 2001;34:350-2
Bahnini A (*see* Kieffer et al). 2001;34:222-8
Bailey BJ (*see* Peterson et al). 2001;34:798-804
Baker WH (*see* Labropoulos et al). 2001;34:872-7
Baker WH (*see* Sheehan et al). 2001;34:13-16
Bakran A (*see* Kemp et al). 2001;34:1103-10
Balm R (*see* Koelemay et al). 2001;34:661-7
Baltazar U (*see* Katras et al). 2001;34:453-8
Bandyk DF, Novotney ML, Back MR, Johnson BL, Schmacht DC. Expanded application of in situ replacement for prosthetic graft infection. 2001;34:411-20
Barker CF (*see* Carpenter at al). 2001;34:1050-4
Barnes CS (*see* Cruz et al). 2001;34:724-9
Bassiouny HS (*see* Meyerson et al). 2001;34:27-33
Bates MC (*see* AbuRahma et al). 2001;34:831-8
Battey PM (*see* Sullivan et al). 2001;34:559-61 (Case rep.)
Baum RA (*see* Carpenter at al). 2001;34:1050-4
Baxter BT. Regarding "Use of doxycycline to decrease the growth rate of abdominal aortic aneurysms: a randomized, double-blind, placebo-controlled pilot study." 2001;34:757-8
Baxter BT (*see* Nollendorfs et al). 2001;34:316-22
Baxter BT (*see* Wassef et al). 2001;34:730-8
Beek HTT (*see* Dongen et al). 2001;34:1035-40
Belkin M (*see* Eslami et al). 2001;34:923-9
Belletti S (*see* Lorenzi et al). 2001;34:184 (Letter)
Bender CE (*see* Noel et al). 2001;34:785-91
Benedetto B, Lipkowitz G, Madden R, Kurbanov A, Hull D, Miller M, Bow L. Use of cryopreserved cadaveric vein allograft for hemodialysis access precludes kidney transplantation because of allosensitization. 2001;34:139-42
Benner T (*see* Doerfler et al). 2001;34:587-593
Bennett S (*see* Dobrilovic et al). 2001;34:562-4 (Case rep.)
Beregi JP (*see* Haulon et al). 2001;34:600-5
Bergqvist D (*see* Wanhainen et al). 2001;34:229-35
Berguer R (*see* Parodi et al). 2001;34:909-14
Berman SS, Gentile AT. Impact of secondary procedures in autogenous arteriovenous fistula maturation and maintenance. 2001;34:866-71
Berthelsen B (*see* Zachrisson et al). 2001;34:263-8
Bertrand P (*see* Lesèche et al). 2001;34:616-22
Besnard M (*see* Lesèche et al). 2001;34:616-22
Beven EG (*see* O'Hara et al). 2001;34:5-12
Beven EG (*see* Tsoukas et al). 2001;34:1041-9
Beyer J (*see* Schwarz et al). 2001;34:1065-70
Beyersdorf F (*see* Schlensak et al). 2001;34:198-203
Bhama JK, Ogren J, Guinn G, Fisher WE. Unique cause of duodenal obstruction by an abdominal aortic aneurysm. 2001;34:1130-2 (Case rep.)
Biancari F (*see* Mosorin et al). 2001;34:606-10
Billiar TR (*see* Kibbe et al). 2001;34:156-65
Bimson WE (*see* Kemp et al). 2001;34:1103-10
Bitu-Moreno J (*see* Schlensak et al). 2001;34:198-203
Björck M (*see* Wanhainen et al). 2001;34:229-35
Blackburn D (*see* Garcia et al). 2001;34:792-7
Blomstrand C (*see* Zachrisson et al). 2001;34:263-8
Bloom JR (*see* Hurst et al). 2001;34:106-13
Boer AD (*see* Dongen et al). 2001;34:1035-40
Boezeman EH (*see* Dongen et al). 2001;34:1035-40
Boissel P (*see* Brunaud et al). 2001;34:673-9
Boman K (*see* Wanhainen et al). 2001;34:229-35
Bond D (*see* Golledge et al). 2001;34:1060-4
Borsa J (*see* Carter et al). 2001;34:628-33
Bosch MAAJVD, Graaf YVD, Eikelboom BC, Algra A, Mali WPTM. Distal aortic diameter and peripheral arterial occlusive disease. 2001;34:1085-9
Boström A (*see* Löfberg et al). 2001;34:114-21
Bow L (*see* Benedetto et al). 2001;34:139-42

*July, pp. 1-188; August pp. 189-380; September, pp. 381-576; October, pp. 577-764; November, 765-954; December, 955-1180.

Bower TC (*see* Noel et al). 2001;34:41-6
Bower TC (*see* Oderich et al). 2001;34:900-8
Bradbury AW (*see* Stuart et al). 2001;34:774-8
Brandl T (*see* Weber et al). 2001;34:943-6 (Case rep.)
Brennan J (*see* Kemp et al). 2001;34:1103-10
Bresler L (*see* Brunaud et al). 2001;34:673-9
Brevetti LS, Sarkar R, Chang DS, Ma M, Pack R, Messina LM. Administration of adenoviral vectors induces gangrene in acutely ischemic rat hindlimbs: role of capsid protein-induced inflammation. 2001;34:488-96
Brismar K (*see* Jörneskog et al). 2001;34:277-82
Broady AJ (*see* Upchurch et al). 2001;34:76-83
Brown AT (*see* Cruz et al). 2001;34:724-9
Brown AT (*see* Smith et al). 2001;34:474-81
Brunaud L, Antunes L, Collinet-Adler S, Marchal F, Ayav A, Bresler L, Boissel P. Acute mesenteric venous thrombosis: case for nonoperative management. 2001;34:673-9
Brundage S (*see* Carter et al). 2001;34:628-33
Brunelli T. Regarding "High prevalence of mild hyperhomocysteinemia in patients with abdominal aortic aneurysm." 2001;34:184 (Letter reply)
Bulger E (*see* Carter et al). 2001;34:628-33
Burks JA, Faries PL, Gravereaux EC, Hollier LH, Marin ML. Endovascular repair of bleeding aortoenteric fistulas: a 5-year experience. 2001;34:1055-9
Burks JA (*see* Faries et al). 2001;34:892-9
Burks JA (*see* Gravereaux et al). 2001;34:997-1003
Bush RL, Lin PH, Ronson RS, Martin LG, Lumsden AB. Colonic necrosis subsequent to catheter-directed thrombin embolization of the inferior mesenteric artery via the superior mesenteric artery: a complication in the management of a type II endoleak. 2001;34:1071-8 (Case rep.)
Bush RL, Najibi S, Lin PH, Weiss VJ, MacDonald J, Redd DC, Martin LG, Chaikof EL, Lumsden AB. Early experience with the bifurcated Excluder endoprosthesis for treatment of the abdominal aortic aneurysm. 2001;34:497-502
Bush RL (*see* Lin et al). 2001;34:748-50 (Case rep.), 939-42 (Case rep.), 1119-22
Buskens E (*see* Oostenbrink et al). 2001;34:254-62
Busschbach JJV (*see* Oostenbrink et al). 2001;34:254-62
Byrns RE (*see* Kashyap et al). 2001;34:323-9

C

Caggiati A. Fascial relationships of the short saphenous vein. 2001;34:241-6
Cahn MD, Rohrer MJ, Martella MB, Cutler BS. Long-term follow-up of Greenfield inferior vena cava filter placement in children. 2001;34:820-5
Cambria RA (*see* Farooq et al). 2001;34:555-8
Cance WG (*see* Owens et al). 2001;34:344-9
Canto CJ (*see* Chuter et al). 2001;34:98-105
Caprini JA (*see* Arcelus et al). 2001;34:805-11
Caps MT (*see* Gibson et al). 2001;34:694-700
Caps MT (*see* Yutan et al). 2001;34:685-93
Carabasi RA (*see* Kahn et al). 2001;34:979-82
Cardneau JD, Henke PK, Upchurch GR Jr, Wakefield TW, Graham LM, Jacobs LA, Greenfield LJ, Coran AG, Stanley JC. Efficacy and durability of autogenous saphenous vein conduits for lower extremity arterial reconstructions in preadolescent children. 2001;34:34-40
Cardon CF (*see* Chemla et al). 2001;34:743-7 (Case rep.)
Carlsen RC (*see* Lee et al). 2001;34:1096-1102
Carpenter JP, Baum RA, Barker CF, Golden MA, Mitchell ME, Velazquez OC, Fairman RM. Impact of exclusion criteria on patient selection for endovascular abdominal aortic aneurysm repair. 2001;34:1050-4
Carr SC (*see* Turnipseed et al). 2001;34:47-53
Carrol NM (*see* Aquino et al). 2001;34:878-84
Carter RL (*see* Derrow et al). 2001;34:54-61
Carter Y, Meissner M, Bulger E, Demirer S, Brundage S, Jurkovich G, Borsa J, Mulligan MS, Karmy-Jones R. Anatomical considerations in the surgical management of blunt thoracic aortic injury. 2001;34:628-33
Cassada DC, Tribble CG, Laubach VE, Nguyen BN, Rieger JM, Linden J, Kaza AK, Long SM, Kron IL, Kern JA. An adenosine A2A agonist, ATL-146e, reduces paralysis and apoptosis during rabbit spinal cord reperfusion. 2001;34:482-8
Cassada DC (*see* Kaza et al). 2001;34:367-8 (Tech. note)
Castier Y (*see* Lesèche et al). 2001;34:616-22
Cerceau O (*see* Lesèche et al). 2001;34:616-22
Ceshire N (*see* Kolvenbach et al). 2001;34:216-21
Chaikof E (*see* Lin et al). 2001;34:939-42 (Case rep.)
Chaikof EL (*see* Bush et al). 2001;34:497-502
Chaikof EL (*see* Lin et al). 2001;34:1119-22
Chaikof EL (*see* Najibi et al). 2001;34:353-6 (Case rep.)
Chait A (*see* Lepidi et al). 2001;34:1111-8
Chandeysson P (*see* Sapirstein et al). 2001;34:180-3
Chandler JG (*see* Fischer et al). 2001;34:236-40
Chang BB (*see* Paty et al). 2001;34:127-32
Chang DS (*see* Brevetti et al). 2001;34:488-96
Chang JB, Stein TA. Infrainguinal revascularizations in octogenarians and septuagenarians. 2001;34:133-8
Chemla ES, Raynaud A, Mongrédien B, Combes MA, D'Attellis N, Cardon CF, Julia PL, Toussaint JF, Fabiani JN. Forearm arteries entrapment syndrome: a rare cause of recurrent angioaccess thrombosis. 2001;34:743-7 (Case rep.)
Chen C (*see* Lin et al). 2001;34:1119-22
Cherry KJ Jr (*see* Noel et al). 2001;34:41-6
Cherry KJ Jr (*see* Oderich et al). 2001;34:900-8
Chew DKW, Muto PM, Gordon JK, Straceski AJ, Donaldson MC. Spontaneous aortic dissection and rupture in a patient with neurofibromatosis. 2001;34:364-6 (Case rep.)
Chiche L (*see* Kieffer et al). 2001;34:222-8
Chiou AC (*see* Ebaugh et al). 2001;34:21-6
Chiou AC (*see* Morasch et al). 2001;34:680-4
Chisholm RL (*see* Wassef et al). 2001;34:730-8
Chiu ES (*see* Lepidi et al). 2001;34:1111-8
Christen T (*see* Meyerson et al). 2001;34:90-7. Correction 2001;34:580
Chuter TAM, Faruqi RM, Sawhney R, Reilly LM, Kerlan RB, Canto CJ, Lukaszewicz GC, LaBerge JM, Wilson MW, Gordon RL, Wall SD, Rapp J, Messina LM. Endoleak after endovascular repair of abdominal aortic aneurysm. 2001;34:98-105
Chuy J (*see* Qin et al). 2001;34:701-6
Ciccotti P (*see* Müller et al). 2001;34:1090-6
Cinà CS (*see* Jahromi et al). 2001;34:1029-34
Clark MD (*see* Rosenthal et al). 2001;34:428-33
Clayton G (*see* Golledge et al). 2001;34:1060-4
Clowes AW (*see* Lepidi et al). 2001;34:1111-8
Collinet-Adler S (*see* Brunaud et al). 2001;34:673-9
Collins TC, Johnson M, Daley J, Henderson WG, Khuri SF, Gordon HS. Preoperative risk factors for 30-day mortality after elective surgery for vascular disease in Department of Veterans Affairs hospitals: is race important? 2001;34:634-40
Combes MA (*see* Chemla et al). 2001;34:743-7 (Case rep.)
Comerota AJ. Myths, mystique, and misconceptions of venous disease. 2001;34:765-73

Conklin BS (*see* Lin et al). 2001;34:1119-22
Conte MS (*see* Eslami et al). 2001;34:923-9
Contreras MA (*see* Stone et al). 2001;34:1016-22
Cope JT (*see* Kaza et al). 2001;34:367-8 (Tech. note)
Coran AG (*see* Cardneau et al). 2001;34:34-40
Costantini A (*see* Lorenzi et al). 2001;34:184 (Letter)
Cowper D (*see* Feinglass et al). 2001;34:283-90
Cramer DV (*see* Yu et al). 2001;34:337-343
Crippa M (*see* Lorenzi et al). 2001;34:184 (Letter)
Cronenwett JL (*see* Nelson et al). 2001;34:526-31
Cronenwett JL (*see* White et al). 2001;34:1139-46
Crouch DS, McLafferty RB, Karch LA, Mattos MA, Ramsey DE, Henretta JP, Hodgson KJ, Sumner DS. A prospective study of discharge disposition after vascular surgery. 2001;34:62-8
Cruz CP, Eidt J, Drouilhet J, Brown AT, Wang YF, Barnes CS, Moursi MM. Saratin, an inhibitor of von Willebrand factor-dependent platelet adhesion, decreases platelet aggregation and intimal hyperplasia in a rat carotid endarterectomy model. 2001;34:724-9
Cruz CP (*see* Smith et al). 2001;34:474-81
Curi MA (*see* Meyerson et al). 2001;34:27-33, 90-7. Correction 2001;34:580
Cutler BS (*see* Cahn et al). 2001;34:820-5

D

Da Silva L (*see* Kolvenbach et al). 2001;34:216-21
Dadian N, Ohki T, Veith FJ, Edelman M, Mehta M, Lipsitz EC, Suggs WD, Wain RA. Overt colon ischemia after endovascular aneurysm repair: the importance of microembolization as an etiology. 2001;34:986-96
Daley J (*see* Collins et al). 2001;34:634-40
Daley J (*see* Feinglass et al). 2001;34:283-90
Dalman RL (*see* Arko et al). 2001;34:885-91
Dalman RL (*see* Wassef et al). 2001;34:730-8
Dame DA (*see* Derrow et al). 2001;34:54-61
Dardik A, Perler BA, Roseborough GS, Williams GM. Aneurysmal expansion of the visceral patch after thoracoabdominal aortic replacement: an argument for limiting patch size? 2001;34:405-10
Dardik H (*see* Qin et al). 2001;34:701-6
Darling RC III (*see* Paty et al). 2001;34:127-32
D'Attellis N (*see* Chemla et al). 2001;34:743-7 (Case rep.)
Dauge MC (*see* Gomes et al). 2001;34:707-15
Daunt N (*see* Hollyoak et al). 2001;34:656-60
Davies AH (*see* Golledge et al). 2001;34:1060-4
Davies MG (*see* Yutan et al). 2001;34:685-93
Deling O (*see* Kolvenbach et al). 2001;34:216-21
Demasi RJ (*see* Meier et al). 2001;34:421-7
Demirer S (*see* Carter et al). 2001;34:628-33
Derrow AE, Seeger JM, Dame DA, Carter RL, Ozaki CK, Flynn TC, Huber TS. The outcome in the United States after thoracoabdominal aortic aneurysm repair, renal artery bypass, and mesenteric revascularization. 2001;34:54-61
Desai TR (*see* Meyerson et al). 2001;34:27-33
Deschamps C (*see* Noel et al). 2001;34:785-91
DeWeese JA (*see* White et al). 2001;34:1139-46
Dickinson T (*see* Porter et al). 2001;34:548-54
Dietzek AM J (*see* Mehta et al). 2001;34:839-45
Dimikakos PB, Portinos A. Regarding "Surgical treatment of venous malformation in Kippel-Trénaunay syndrome." 2001;34:573-4 (Letter)
DiMuzio PJ (*see* Kahn et al). 2001;34:979-82
Djavani K (*see* Jörneskog et al). 2001;34:277-82
Dobrilovic N, Bennett S, Smith C, Edwards J, Luchette FA. Traumatic renal artery dissection identified with dynamic helical computed tomography. 2001;34:562-4 (Case rep.)
Dodson TF (*see* Lin et al). 2001;34:1119-22
Doenst T (*see* Schlensak et al). 2001;34:198-203
Doerfler A, Eckstein HH, Eichbaum M, Heiland S, Benner T, Allenberg JR, Forsting M. Perfusion-weighted magnetic resonance imaging in patients with carotid artery disease before and after carotid endarterectomy. 2001;34:587-593
Donaldson MC (*see* Chew et al). 2001;34:364-6 (Case rep.)
Donaldson MC (*see* Eslami et al). 2001;34:923-9
Dongen EPV, Schepens MA, Morshuis WJ, Beek HTT, Aarts LP, Boer AD, Boezeman EH. Thoracic and thoracoabdominal aortic aneurysm repair: use of evoked potential monitoring in 118 patients. 2001;34:1035-40
Doobay B (*see* Jahromi et al). 2001;34:1029-34
Drouilhet J (*see* Cruz et al). 2001;34:724-9
Dryjski M, O'Brien-Irr MS, Harris LM, Hassett J, Janicke D. Evaluation of a screening protocol to exclude the diagnosis of deep venous thrombosis among emergency department patients. 2001;34:1010-5
Duff C (*see* Fischer et al). 2001;34:236-40
Durán WN (*see* Saito et al). 2001;34:930-8

E

Eagleton MJ (*see* Upchurch et al). 2001;34:76-83
Ebaugh JL, Chiou AC, Morasch MD, Matsumura JS, Pearce WH. Bedside vena cava filter placement guided with intravascular ultrasound. 2001;34:21-6
Ebaugh JL (*see* Garcia et al). 2001;34:792-7
Ebaugh JL (*see* Morasch et al). 2001;34:680-4
Eckstein HH (*see* Doerfler et al). 2001;34:587-593
Edelman M (*see* Dadian et al). 2001;34:986-96
Edwards J (*see* Dobrilovic et al). 2001;34:562-4 (Case rep.)
Eichbaum M (*see* Doerfler et al). 2001;34:587-593
Eidt J (*see* Cruz et al). 2001;34:724-9
Eidt JF (*see* Smith et al). 2001;34:474-81
Eikelboom BC (*see* Bosch et al). 2001;34:1085-9
Eikelboom BC (*see* Oostenbrink et al). 2001;34:254-62
Eisen L (*see* Morrissey et al). 2001;34:503-12
Eisen L (*see* Yano et al). 2001;34:204-11
Elmore JR (*see* Johanning et al). 2001;34:983-5
Endean ED (*see* Schwarcz et al). 2001;34:447-52
Ernst CB. The Southern Association for Vascular Surgery: the beginning. 2001;34:381-3
Eslami MH, Gangadharan SP, Belkin M, Donaldson MC, Whittemore AD, Conte MS. Monocyte adhesion to human vein grafts: a marker for occult intraoperative injury? 2001;34:923-9
Eton D (*see* Yu et al). 2001;34:337-343
Ewend MG (*see* Weaver et al). 2001;34:623-7

F

Fabiani JN (*see* Chemla et al). 2001;34:743-7 (Case rep.)
Fairman RM (*see* Carpenter at al). 2001;34:1050-4
Fallon JT (*see* Kerr et al). 2001;34:350-2
Fallon JT (*see* Reis et al). 2001;34:541-7
Farber M (*see* Weaver et al). 2001;34:623-7
Farber MA (*see* Owens et al). 2001;34:344-9
Faries PL, Morrissey N, Burks JA, Gravereaux E, Kerstein MD, Teodorescu VJ, Hollier LH, Marin ML. Internal iliac artery revascularization as an adjunct to endovascular repair of aortoiliac aneurysms. 2001;34:892-9
Faries PL (*see* Burks et al). 2001;34:1055-9
Faries PL (*see* Gravereaux et al). 2001;34:997-1003
Faries PL (*see* Yano et al). 2001;34:69-75, 204-11

Farooq MM, Serra A, Newman PJ, Cambria RA, Seabrook GR, Towne JB, Freischlag JA. PECAM-1/IgG attenuates peroxynitrite-mediated extremity reperfusion injury. 2001;34:555-8
Faruqi RM (*see* Chuter et al). 2001;34:98-105
Fasehun F (*see* Saito et al). 2001;34:930-8
Fasting H (*see* Lindholt et al). 2001;34:611-15
Fayad ZA (*see* Reis et al). 2001;34:541-7
Feinglass J, Pearce WH, Martin GJ, Gibbs J, Cowper D, Sorensen M, Khuri S, Daley J, Henderson WG. Postoperative and amputation-free survival outcomes after femorodistal bypass grafting surgery: findings from the Department of Veterans Affairs National Surgical Quality Improvement Program. 2001;34:283-90
Ferreira LM (*see* Parodi et al). 2001;34:909-14
Fillinger MF (*see* Nelson et al). 2001;34:526-31
Fillinger MF (*see* Wassef et al). 2001;34:730-8
Fillinger MF (*see* Woodrum et al). 2001;34:166-8 (Case rep.)
Fischer R, Linde N, Duff C, Jeanneret C, Chandler JG, Seeber P. Late recurrent saphenofemoral junction reflux after ligation and stripping of the greater saphenous vein. 2001;34:236-40
Fiser SM (*see* Kaza et al). 2001;34:367-8 (Tech. note)
Fisher EA (*see* Reis et al). 2001;34:541-7
Fisher WE (*see* Bhama et al). 2001;34:1130-2 (Case rep.)
FitzGerald DE (*see* O'Shaughnessy and FitzGerald). 2001;34:247-53
Fitzgerald L (*see* Stone et al). 2001;34:1016-22
Flynn TC (*see* Derrow et al). 2001;34:54-61
Fogarty TJ (*see* Arko et al). 2001;34:885-91
Fogarty TJ (*see* White et al). 2001;34:1139-46
Fogarty TJ (*see* Wolf et al). 2001;34:594-9
Forauer AR (*see* Hurst et al). 2001;34:106-13
Forauer AR (*see* Peterson et al). 2001;34:798-804
Ford JW (*see* Upchurch et al). 2001;34:76-83
Forsting M (*see* Doerfler et al). 2001;34:587-593
Franklin DP (*see* Johanning et al). 2001;34:983-5
Freeman MB (*see* Timaran et al). 2001;34:440-6, 971-8
Freischlag JA (*see* Farooq et al). 2001;34:555-8
Freischlag JA (*see* Kashyap et al). 2001;34:323-9
Friedman SG. Carotid endarterectomy: a champion turns fifty. 2001;34:569-71
Friedman SG (*see* Mehta et al). 2001;34:839-45
Frostick SP (*see* Kemp et al). 2001;34:1103-10
Fuller SB (*see* Travis et al). 2001;34:860-5

G

Gabbiani G (*see* Meyerson et al). 2001;34:90-7. Correction 2001;34:580
Gangadharan SP (*see* Eslami et al). 2001;34:923-9
Garcia ND, Morasch MD, Ebaugh JL, Shah S, Blackburn D, Astleford P, Matsumura JS, Yao JST, Pearce WH. Is bilateral ultrasound scanning of the legs necessary for patients with unilateral symptoms of deep vein thrombosis? 2001;34:792-7
Gayle RG (*see* Meier et al). 2001;34:421-7
Geary RL (*see* Travis et al). 2001;34:860-5
Gelabert HA (*see* Kashyap et al). 2001;34:323-9
Gentile AT (*see* Berman and Gentile)e. 2001;34:866-71
Gewertz BL (*see* Meyerson et al). 2001;34:27-33
Gibbs J (*see* Feinglass et al). 2001;34:283-90
Gibbs R (*see* Golledge et al). 2001;34:1060-4
Gibson KD, Gillen DL, Caps MT, Kohler TR, Sherrard DJ, Stehman-Breen CO. Vascular access survival and incidence of revisions: a comparison of prosthetic grafts, simple autogenous fistulas, and venous transposition fistulas from the United States Renal Data System Dialysis Morbidity and Mortality Study. 2001;34:694-700
Gillen DL (*see* Gibson et al). 2001;34:694-700
Gillespie DL (*see* Scultetus et al). 2001;34:812-19
Gillespie DL (*see* Villavicencio et al). 2001;34:947-51 (Tech. note)
Gilling-Smith GL (*see* Kemp et al). 2001;34:1103-10
Glagov S (*see* Meyerson et al). 2001;34:90-7. Correction 2001;34:580
Glagov S (*see* White et al). 2001;34:1139-46
Gleixner SL (*see* Kibbe et al). 2001;34:156-65
Glickerman DJ (*see* Yutan et al). 2001;34:685-93
Glickman MH, Stokes GK, Ross JR, Schuman ED, Sternbergh WC III, Lindberg JS, Money SM, Lorber MI. Multicenter evaluation of a polyurethaneurea vascular access graft as compared with the expanded polytetrafluoroethylene vascular access graft in hemodialysis applications. 2001;34:465-73
Gloviczki P (*see* Noel and Gloviczki). 2001;34:573-4 (Letter reply)
Gloviczki P (*see* Noel et al). 2001;34:41-6, 785-91
Gloviczki P (*see* Oderich et al). 2001;34:900-8
Godziachvili V (*see* Meier et al). 2001;34:421-7
Golden MA (*see* Carpenter at al). 2001;34:1050-4
Goldman MH (*see* Timaran et al). 2001;34:440-6, 971-8
Golledge J, Gibbs R, Irving C, Clayton G, Bond D, Greenhalgh RM, Lamont P, Davies AH. Determinants of carotid microembolization. 2001;34:1060-4
Gomes D, Louedec L, Plissonnier D, Dauge MC, Henin D, Osborne-Pellegrin M, Michel JB. Endoluminal smooth muscle cell seeding limits intimal hyperplasia. 2001;34:707-15
Gordon D (*see* White et al). 2001;34:1139-46
Gordon HS (*see* Collins et al). 2001;34:634-40
Gordon JK (*see* Chew et al). 2001;34:364-6 (Case rep.)
Gordon RL (*see* Chuter et al). 2001;34:98-105
Gotlieb AI (*see* Jackson et al). 2001;34:300-7
Graaf Yvd (*see* Bosch et al). 2001;34:1085-9
Graham LM (*see* Cardneau et al). 2001;34:34-40
Gravereaux E (*see* Faries et al). 2001;34:892-9
Gravereaux EC, Faries PL, Burks JA, Latessa V, Spielvogel D, Hollier LH, Marin MI. Risk of spinal cord ischemia after endograft repair of thoracic aortic aneurysms. 2001;34:997-1003
Gravereaux EC (*see* Burks et al). 2001;34:1055-9
Green RM (*see* Shortell et al). 2001;34:854-9
Greenberg RK (*see* Ouriel et al). 2001;34:577-80
Greenberg S (*see* Hingorani et al). 2001;34:1004-9
Greenfield LJ (*see* Cardneau et al). 2001;34:34-40
Greenfield LJ (*see* Hurst et al). 2001;34:106-13
Greenfield LJ (*see* Peterson et al). 2001;34:798-804
Greenfield LJ (*see* Proctor et al). 2001;34:459-64
Greenhalgh RM (*see* Golledge et al). 2001;34:1060-4
Gregory RT. Rudolph Matas-how I remember him: an interview with Dr Michael E. DeBakey. 2001;34:384-6
Greiner TC (*see* Nollendorfs et al). 2001;34:316-22
Griffin M (*see* Kakkos et al). 2001;34:915-22
Guarnera G. Regarding "Does surgical correction of the superficial femoral vein valve change the course of varicose disease?". 2001;34:374-5 (Letter)
Guinn G (*see* Bhama et al). 2001;34:1130-2 (Case rep.)
Gurp AJV (*see* Koelemay et al). 2001;34:661-7
Guzman RJ (*see* Passman et al). 2001;34:846-53

H

Haenen JH, Wollersheim H, Janssen MCH, Hof MAV, Steijlen PM, Langen HV, Skotnicki SH, Thien T. Evolution of deep venous thrombosis: a 2-year follow-up using duplex ultrasound scan and strain-gauge plethysmography. 2001;34:649-55
Hagen T (*see* Müller et al). 2001;34:1090-6
Hallett JW Jr (*see* Noel et al). 2001;34:41-6
Hallett JW Jr (*see* Oderich et al). 2001;34:900-8
Hallett JW Jr (*see* Rasmussen et al). 2001;34:84-9
Hamazaki F (*see* Uno et al). 2001;34:532-40
Han DC (*see* Johanning et al). 2001;34:983-5
Hans SS, Jareunpoon O, Huang RR. Pressure measurements in closed aneurysmal sac during abdominal aortic aneurysm resection. 2001;34:519-25
Hansen KJ (*see* Travis et al). 2001;34:860-5
Hansoty D (*see* Reis et al). 2001;34:541-7
Harley JD (*see* Yutan et al). 2001;34:685-93
Harmsen WS (*see* Noel et al). 2001;34:41-6
Harmsen WS (*see* Rasmussen et al). 2001;34:84-9
Harris EJ (*see* Arko et al). 2001;34:885-91
Harris LM (*see* Dryjski et al). 2001;34:1010-5
Harris PL (*see* Kemp et al). 2001;34:1103-10
Harvill LM (*see* Katras et al). 2001;34:453-8
Hashizume E (*see* Rikimaru et al). 2001;34:169-71 (Case rep.)
Hassett J (*see* Dryjski et al). 2001;34:1010-5
Hatsukami T (*see* Yutan et al). 2001;34:685-93
Hauer M (*see* Schlensak et al). 2001;34:198-203
Haulon S, Tyazi A, Willoteaux S, Koussa M, Lions C, Beregi JP. Embolization of type II endoleaks after aortic stent-graft implantation: technique and immediate results. 2001;34:600-5
Heiland S (*see* Doerfler et al). 2001;34:587-593
Heinecke J (*see* Wassef et al). 2001;34:730-8
Hellberg A (*see* Löfberg et al). 2001;34:114-21
Henderson WG (*see* Collins et al). 2001;34:634-40
Henderson WG (*see* Feinglass et al). 2001;34:283-90
Henin D (*see* Gomes et al). 2001;34:707-15
Henke PK (*see* Cardneau et al). 2001;34:34-40
Henke PK (*see* Peterson et al). 2001;34:798-804
Henneberg EW (*see* Lindholt et al). 2001;34:611-15
Henretta JP (*see* Crouch et al). 2001;34:62-8
Hertzer NR. Outcome assessment: a new approach to the maintenance of board certification in vascular surgery. 2001;34:371-3
Hertzer NR (*see* O'Hara et al). 2001;34:5-12
Hertzer NR (*see* Tsoukas et al). 2001;34:1041-9
Hill BB (*see* Arko et al). 2001;34:885-91
Hingorani A, Ascher E, Kallakuri S, Greenberg S, Khanimov Y. Impact of reintervention for failing upper-extremity arteriovenous autogenous access for hemodialysis. 2001;34:1004-9
Hirano T (*see* Kato et al). 2001;34:513-18, 1023-8
Hoang TX (*see* Kashyap et al). 2001;34:323-9
Hobson RW II (*see* Saito et al). 2001;34:930-8
Hoch JR (*see* Turnipseed et al). 2001;34:47-53
Hodgson KJ (*see* Crouch et al). 2001;34:62-8
Hodgson KJ (*see* White et al). 2001;34:1139-46
Hof MAV (*see* Haenen et al). 2001;34:649-55
Hofer JM (*see* Panneton et al). 2001;34:360-3 (Case rep.)
Hoffmann U (*see* Weber et al). 2001;34:943-6 (Case rep.)
Hollier L (*see* Morrissey et al). 2001;34:503-12
Hollier LH, (*see* Gravereaux et al). 2001;34:997-1003
Hollier LH (*see* Burks et al). 2001;34:1055-9
Hollier LH (*see* Faries et al). 2001;34:892-9
Hollier LH (*see* Yano et al). 2001;34:69-75, 204-11
Hollyoak M, Woodruff P, Muller M, Daunt N, Weir P. Deep venous thrombosis in postoperative vascular surgical patients: a frequent finding without prophylaxis. 2001;34:656-60
Holm J (*see* Zachrisson et al). 2001;34:263-8
Horiguchi H (*see* Uno et al). 2001;34:532-40
Hout BAV (*see* Oostenbrink et al). 2001;34:254-62
Hua J, Mower WR. Simple geometric characteristics fail to reliably predict abdominal aortic aneurysm wall stresses. 2001;34:308-15
Huang RR (*see* Hans et al). 2001;34:519-25
Huber TS, Seeger JM. Contribution of the Southern Association for Vascular Surgery to the scientific literature. 2001;34:393-6
Huber TS, Seeger JM. Dartmouth Atlas of Vascular Health Care review: impact of hospital volume, surgeon volume, and training on outcome. 2001;34:751-6
Huber TS (*see* Derrow et al). 2001;34:54-61
Hull D (*see* Benedetto et al). 2001;34:139-42
Hume E (*see* Kahn et al). 2001;34:979-82
Humphrey JD (*see* Wassef et al). 2001;34:730-8
Hurst DR, Forauer AR, Bloom JR, Greenfield LJ, Wakefield TW, Williams DM. Diagnosis and endovascular treatment of iliocaval compression syndrome. 2001;34:106-13

I

Iacocco MV (*see* Owens et al). 2001;34:344-9
Ignarro LJ (*see* Kashyap et al). 2001;34:323-9
Ihlberg LHM, Albäck NA, Lassila R, Lepäntalo M. Intraoperative flow predicts the development of stenosis in infrainguinal vein grafts. 2001;34:269-76
Illig KA (*see* Shortell et al). 2001;34:854-9
Irving C (*see* Golledge et al). 2001;34:1060-4
Ishibashi H (*see* Jackson et al). 2001;34:300-7
Ishibashi T (*see* Rikimaru et al). 2001;34:169-71 (Case rep.)
Ishida M (*see* Kato et al). 2001;34:513-18, 1023-8
Ishimoto T (*see* Iyori et al). 2001;34:330-6
Iyori K, Kamiya K, Suzuki O, Kojima A, Kubota K, Ishimoto T, Kobayashi M, Shindo S, Tada Y. Identification of the critical spinal arteries with F wave-polysynaptic response complex monitoring: an experimental study. 2001;34:330-6

J

Jackson ZS, Ishibashi H, Gotlieb AI, Langille BL. Effects of anastomotic angle on vascular tissue responses at end-to-end arterial grafts. 2001;34:300-7
Jacobs LA (*see* Cardneau et al). 2001;34:34-40
Jacobs MJHM (*see* Koelemay et al). 2001;34:661-7
Jahromi AS, Kazemi K, Safar HA, Doobay B, Cinà CS. Traumatic rupture of the thoracic aorta: cohort study and sytematic review. 2001;34:1029-34
Janicke D (*see* Dryjski et al). 2001;34:1010-5
Janssen MCH (*see* Haenen et al). 2001;34:649-55
Jareunpoon O (*see* Hans et al). 2001;34:519-25
Jeanneret C (*see* Fischer et al). 2001;34:236-40
Jenkins GD (*see* Noel et al). 2001;34:41-6
Johanning JM, Franklin DP, Elmore JR, Han DC. Femoral artery infections associated with percutaneous arterial closure devices. 2001;34:983-5
Johansson M (*see* Shortell et al). 2001;34:854-9
Johnnides C (*see* Aquino et al). 2001;34:962-71
Johnson BL (*see* Bandyk et al). 2001;34:411-20
Johnson GR (*see* Lederle et al). 2001;34:122-6
Johnson M (*see* Collins et al). 2001;34:634-40

Johnson MS. One leg trilogy. 2001;34:572
Jones JW, McCullough LB. Consent for an intraoperative video record. 2001;34:1133-4
Jones JW, McCullough LB. Religiously-based treatment refusal. 2001;34:952
Jordan WD Jr, Alcocer F, Voellinger DC, Wirthlin DJ. The durability of endoscopic saphenous vein grafts: a 5-year observational study. 2001;34:434-9
Jorgensen B (*see* Lindholt et al). 2001;34:611-15
Jörneskog G, Djavani K, Brismar K. Day-to-day variability of transcutaneous oxygen tension in patients with diabetes mellitus and peripheral arterial occlusive disease. 2001;34:277-82
Julia PL (*see* Chemla et al). 2001;34:743-7 (Case rep.)
Jurkovich G (*see* Carter et al). 2001;34:628-33
Juvonen J (*see* Mosorin et al). 2001;34:606-10
Juvonen T (*see* Mosorin et al). 2001;34:606-10

K

Kahn MB, Profeta B, Hume E, Leichter R, Carabasi RA, DiMuzio PJ. Tibia fracture after fibula resection for distal peroneal bypass. 2001;34:979-82
Kahn SR (*see* Kurz et al). 2001;34:641-8
Kakkos S, Szendro G, Griffin M, Sabetai MM, Nicolaides AN. Improved hemodynamic effectiveness and associated clinical correlations of a new intermittent pneumatic compression system in patients with chronic venous insufficiency. 2001;34:915-22
Kallakuri S (*see* Hingorani et al). 2001;34:1004-9
Kamata K (*see* Rikimaru et al). 2001;34:169-71 (Case rep.)
Kamiya K (*see* Iyori et al). 2001;34:330-6
Kang SS (*see* Labropoulos et al). 2001;34:872-7
Kang SS (*see* Sheehan et al). 2001;34:13-16
Karacagil S (*see* Löfberg et al). 2001;34:114-21
Karafa MT (*see* O'Hara et al). 2001;34:5-12
Karch LA (*see* Crouch et al). 2001;34:62-8
Karmy-Jones R (*see* Carter et al). 2001;34:628-33
Kashyap MVS, Reil TD, Moore WS, Hoang TX, Gelabert HA, Byrns RE, Ignarro LJ, Freischlag JA. Acute arterial thrombosis causes endothelial dysfunction: a new paradigm for thrombolytic therapy. 2001;34:323-9
Kasirajan K, Marek JM, Langsfeld M. Behçet's disease: endovascular management of a ruptured peripheral arterial aneurysm. 2001;34:1127-9 (Case rep.)
Kasper AS (*see* Kolvenbach et al). 2001;34:216-21
Kato N, Hirano T, Kawaguchi T, Ishida M, Shimono T, Yada I, Takeda K. Aneurysmal degeneration of the aorta after stent-graft repair of acute aortic dissection. 2001;34:513-18
Kato N, Shimono T, Hirano T, Ishida M, Yada I, Takeda K. Transluminal placement of endovascular stent-grafts for the treatment of type A aortic dissection with an entry tear in the descending thoracic aorta. 2001;34:1023-8
Katras T, Baltazar U, Rush DS, Sutterfield WC, Harvill LM, Stanton PE Jr. Durability of eversion carotid endarterectomy: comparison with primary closure and carotid patch angioplasty. 2001;34:453-8
Katz D (*see* Meyerson et al). 2001;34:27-33
Katzen BT (*see* Najibi et al). 2001;34:353-6 (Case rep.)
Kawaguchi T (*see* Kato et al). 2001;34:513-18
Kaza AK, Cope JT, Kern JA, Cassada DC, Long SM, Fiser SM, Kron IL, Tribble CG. A technique for adequate coverage of the proximal suture line during abdominal aortic aneurysm repair. 2001;34:367-8 (Tech. note)
Kaza AK (*see* Cassada et al). 2001;34:482-8
Kazemi K (*see* Jahromi et al). 2001;34:1029-34
Kazerooni EA (*see* Peterson et al). 2001;34:798-804
Keagy BA (*see* Owens et al). 2001;34:344-9
Keagy BA (*see* Weaver et al). 2001;34:623-7
Kearney PA (*see* Schwarcz et al). 2001;34:447-52
Kelley ME (*see* Aquino et al). 2001;34:962-71
Kellner W (*see* Weber et al). 2001;34:943-6 (Case rep.)
Kemp GJ, Roberts N, Bimson WE, Bakran A, Harris PL, Gilling-Smith GL, Brennan J, Rankin A, Frostick SP. Mitochondrial function and oxygen supply in normal and in chronically ischemic muscle: a combined 31P magnetic resonance spectroscopy and near-infrared spectroscopy study in vivo. 2001;34:1103-10
Kenagy RD (*see* Lepidi et al). 2001;34:1111-8
Kerlan RB (*see* Chuter et al). 2001;34:98-105
Kern JA (*see* Cassada et al). 2001;34:482-8
Kern JA (*see* Kaza et al). 2001;34:367-8 (Tech. note)
Kerr AS, Osende J, Fallon JT, Badimon J. Aortic Slimgraft: ex vivo and in vivo study. 2001;34:350-2
Kerstein M (*see* Morrissey et al). 2001;34:503-12
Kerstein M (*see* Yano et al). 2001;34:204-11
Kerstein MD (*see* Faries et al). 2001;34:892-9
Khanimov Y (*see* Hingorani et al). 2001;34:1004-9
Khuri S (*see* Feinglass et al). 2001;34:283-90
Khuri SF (*see* Collins et al). 2001;34:634-40
Kibbe MR, Tzeng E, Gleixner SL, Watkins SC, Kovesdi I, Lizonova A, Makaroun MS, Billiar TR, Rhee RY. Adenovirus-mediated gene transfer of human inducible nitric oxide synthase in porcine vein grafts inhibits intimal hyperplasia. 2001;34:156-65
Kieffer E, Chiche L, Koskas F, Bahnini A. Aneurysms of the innominate artery: surgical treatment of 27 patients. 2001;34:222-8
Kinney EV (*see* Rosenthal et al). 2001;34:428-33
Kitagawa T (*see* Tabata et al). 2001;34:739-42 (Case rep.)
Kitamura N (*see* Sun et al). 2001;34:151-5
Kitzis M (*see* Lesèche et al). 2001;34:616-22
Knipp BS (*see* Peterson et al). 2001;34:798-804
Knipp BS (*see* Upchurch et al). 2001;34:76-83
Kobayashi M (*see* Iyori et al). 2001;34:330-6
Koelemay MJW, Legemate DA, Vos HD, Gurp AJV, Balm R, Reekers JA, Jacobs MJHM. Duplex scanning allows selective use of arteriography in the management of patients with severe lower leg arterial disease. 2001;34:661-7
Kohler TR (*see* Gibson et al). 2001;34:694-700
Kohler TR (*see* Yutan et al). 2001;34:685-93
Kohno T (*see* Uno et al). 2001;34:532-40
Kojima A (*see* Iyori et al). 2001;34:330-6
Kolvenbach R, Ceshire N, Pinter L, Da Silva L, Deling O, Kasper AS. Lararoscopy-assisted aneurysm resection as a minimal invasive alternative in patients unsuitable for endovascular surgery. 2001;34:216-21
Koskas F (*see* Kieffer et al). 2001;34:222-8
Koussa M (*see* Haulon et al). 2001;34:600-5
Kovesdi I (*see* Kibbe et al). 2001;34:156-65
Krajewski LP (*see* O'Hara et al). 2001;34:5-12
Krajewski LP (*see* Tsoukas et al). 2001;34:1041-9
Kreienberg PB (*see* Paty et al). 2001;34:127-32
Kreishman P (*see* Villavicencio et al). 2001;34:947-51 (Tech. note)
Kron IL (*see* Cassada et al). 2001;34:482-8
Kron IL (*see* Kaza et al). 2001;34:367-8 (Tech. note)
Kubota K (*see* Iyori et al). 2001;34:330-6
Kuivaniemi H (*see* Wassef et al). 2001;34:730-8

Kurbanov A (*see* Benedetto et al). 2001;34:139-42
Kurz X, Lamping DL, Kahn SR, Baccaglini U, Zuccarelli F, Spreafico G, Abenhaim L. Do varicose veins affect quality of life? Results of an international population-based study. 2001;34:641-8
Kwolek CJ (*see* Schwarcz et al). 2001;34:447-52

L

LaBerge JM (*see* Chuter et al). 2001;34:98-105
Labropoulos N, Tiongson J, Pryor L, Tassiopoulos AK, Kang SS, Mansour MA, Baker WH. Nonsaphenous superficial vein reflux. 2001;34:872-7
Lal BK (*see* Saito et al). 2001;34:930-8
Lamont P (*see* Golledge et al). 2001;34:1060-4
Lamping DL (*see* Kurz et al). 2001;34:641-8
Landry GJ, Porter JM. Regarding "Long-term functional outcome of neurogenic thoracic outlet syndrome in surgically and conservatively treated patients." 2001;34:760-1 (Letter reply)
Langen HV (*see* Haenen et al). 2001;34:649-55
Langille BL (*see* Jackson et al). 2001;34:300-7
Langsfeld M (*see* Kasirajan et al). 2001;34:1127-9 (Case rep.)
Länne T (*see* Sandgren et al). 2001;34:1079-84
Lassila R (*see* Ihlberg et al). 2001;34:269-76
Latessa V (*see* Gravereaux et al). 2001;34:997-1003
Laubach VE (*see* Cassada et al). 2001;34:482-8
Laverkus M (*see* Raffetto et al). 2001;34:173-7
Lawson JA (*see* Oostenbrink et al). 2001;34:254-62
Lederle FA, Johnson GR, Wilson SE. Abdominal aortic aneurysm in women. 2001;34:122-6
Lee AJ (*see* Stuart et al). 2001;34:774-8
Lee D (*see* Paty et al). 2001;34:127-32
Lee JK (*see* Tung et al). 2001;34:143-50
Lee PC (*see* Vorp et al). 2001;34:291-9
Lee SL, Pevec WC, Carlsen RC. Functional outcome of new blood vessel growth into ischemic skeletal muscle. 2001;34:1096-1102
Lee WA (*see* Arko et al). 2001;34:885-91
Lee WA (*see* Wolf et al). 2001;34:594-9
Legemate DA (*see* Koelemay et al). 2001;34:661-7
Leichter R (*see* Kahn et al). 2001;34:979-82
Leinonen M (*see* Mosorin et al). 2001;34:606-10
Lepäntalo M (*see* Ihlberg et al). 2001;34:269-76
Lepidi S, Kenagy RD, Raines EW, Chiu ES, Chait A, Ross R, Clowes AW. MMP9 production by human monocyte-derived macrophages is decreased on polymerized type I collagen. 2001;34:1111-8
Lepore MR Jr, Sternbergh WC III, Salartash K, Tonnessen B, Money SR. Influence of NASCET/ACAS trial eligibility on outcome after carotid endarterectomy. 2001;34:581-6
Lesèche G, Castier Y, Petit MD, Bertrand P, Kitzis M, Mussot S, Besnard M, Cerceau O. Long-term results of cryopreserved arterial allograft reconstruction in infected prosthetic grafts and mycotic aneurysms of the abdominal aorta. 2001;34:616-22
Li J (*see* Reis et al). 2001;34:541-7
Liem TK (*see* Mudaliar et al). 2001;34:17-20
Lifeline Registry of Endovascular Aneurysm Repair Steering Committee (*see* White et al). 2001;34:1139-46
Ligush J Jr (*see* Travis et al). 2001;34:860-5
Lin PH, Bush RL, Lumsden AB. Sloughing of the scrotal skin and impotence subsequent to bilateral hypogastric artery embolization for endovascular aortoiliac aneurysm repair. 2001;34:748-50 (Case rep.)
Lin PH, Bush RL, Tong FC, Chaikof E, Martin LG, Lumsden AB. Intra-arterial thrombin injection of an ascending aortic pseudoaneurysm complicated by transient ischemic attack and rescued with systemic abciximab. 2001;34:939-42 (Case rep.)
Lin PH, Dodson TF, Bush RL, Weiss VJ, Najibi S, Conklin BS, Chen C, Chaikof EL, Lumsden AB. Surgical intervention for complications caused by femoral artery catheterization in pediatric patients. 2001;34:1119-22
Lin PH (*see* Bush et al). 2001;34:497-502, 1071-8 (Case rep.)
Lin PH (*see* Najibi et al). 2001;34:353-6 (Case rep.)
Lindberg JS (*see* Glickman et al). 2001;34:465-73
Linde N (*see* Fischer et al). 2001;34:236-40
Linden J (*see* Cassada et al). 2001;34:482-8
Lindholt JS, Ashton HA, Scott RAP. Indicators of infection with Chlamydia pneumoniae are associated with expansion of abdominal aortic aneurysms. 2001;34:212-15
Lindholt JS, Jørgensen B, Fasting H, Henneberg EW. Plasma levels of plasmin-antiplasmin-complexes are predictive for small abdominal aortic aneurysms expanding to operation-recommendable sizes. 2001;34:611-15
Lions C (*see* Haulon et al). 2001;34:600-5
Lipkowitz G (*see* Benedetto et al). 2001;34:139-42
Lipsitz EC (*see* Dadian et al). 2001;34:986-96
Lipsitz EC (*see* Suggs et al). 2001;34:668-72
Littooy FN (*see* Sheehan et al). 2001;34:13-16
Liu JY (*see* Alvarado et al). 2001;34:1123-8 (Case rep.)
Lizonova A (*see* Kibbe et al). 2001;34:156-65
Ljungman C (*see* Löfberg et al). 2001;34:114-21
Lloyd WE (*see* Paty et al). 2001;34:127-32
Löfberg AM, Karacagil S, Ljungman C, Westman B, Boström A, Hellberg A, Östholm G. Percutaneous transluminal angioplasty of the femoropopliteal arteries in limbs with chronic critical lower limb ischemia. 2001;34:114-21
LoGerfo FW (*see* Sivamurthy et al). 2001;34:716-23
LoGerfo FW (*see* Stone et al). 2001;34:1016-22
London NJM (*see* Porter et al). 2001;34:548-54
Long SM (*see* Cassada et al). 2001;34:482-8
Long SM (*see* Kaza et al). 2001;34:367-8 (Tech. note)
Lorber MI (*see* Glickman et al). 2001;34:465-73
Lorenzi G, Costantini A, Crippa M, Belletti S. Regarding "High prevalence of mild hyperhomocysteinemia in patients with abdominal aortic aneurysm." 2001;34:184 (Letter)
Louedec L (*see* Gomes et al). 2001;34:707-15
Luchette FA (*see* Dobrilovic et al). 2001;34:562-4 (Case rep.)
Lukaszewicz GC (*see* Chuter et al). 2001;34:98-105
Lumsden AB (*see* Bush et al). 2001;34:497-502, 1071-8 (Case rep.)
Lumsden AB (*see* Lin et al). 2001;34:748-50 (Case rep.), 939-42 (Case rep.), 1119-22
Lumsden AB (*see* Najibi et al). 2001;34:353-6 (Case rep.)
Lurie F. Regarding "Does surgical correction of the superficial femoral vein valve change the course of varicose disease?". 2001;34:374-5 (Letter reply)

M

Ma M (*see* Brevetti et al). 2001;34:488-96
MacDonald J (*see* Bush et al). 2001;34:497-502
Madden R (*see* Benedetto et al). 2001;34:139-42
Makaroun M (*see* Aquino et al). 2001;34:962-71
Makaroun MS (*see* Aquino et al). 2001;34:878-84
Makaroun MS (*see* Kibbe et al). 2001;34:156-65
Makaroun MS (*see* Vorp et al). 2001;34:291-9
Mali WPTM (*see* Bosch et al). 2001;34:1085-9

Mannick JA (*see* White et al). 2001;34:1139-46
Mansour MA (*see* Labropoulos et al). 2001;34:872-7
Mansour MA (*see* Sheehan et al). 2001;34:13-16
Marchal F (*see* Brunaud et al). 2001;34:673-9
Marek JM (*see* Kasirajan et al). 2001;34:1127-9 (Case rep.)
Marin M (*see* Yano et al). 2001;34:69-75
Marin MI (*see* Gravereaux et al). 2001;34:997-1003
Marin ML (*see* Burks et al). 2001;34:1055-9
Marin ML (*see* Faries et al). 2001;34:892-9
Marin ML (*see* Morrissey et al). 2001;34:503-12
Marin ML (*see* Yano et al). 2001;34:204-11
Marston W (*see* Weaver et al). 2001;34:623-7
Marston WA (*see* Owens et al). 2001;34:344-9
Martella MB (*see* Cahn et al). 2001;34:820-5
Martin GJ (*see* Feinglass et al). 2001;34:283-90
Martin JD (*see* Rosenthal et al). 2001;34:428-33
Martin LG (*see* Bush et al). 2001;34:497-502, 1071-8 (Case rep.)
Martin LG (*see* Lin et al). 2001;34:939-42 (Case rep.)
Mascha EJ (*see* O'Hara et al). 2001;34:5-12
Mascha EJ (*see* Tsoukas et al). 2001;34:1041-9
Matsumura JS, Ryu RK, Ouriel K. Identification and implications of transgraft microleaks after endovascular repair of aortic aneurysms. 2001;34:190-7
Matsumura JS (*see* Ebaugh et al). 2001;34:21-6
Matsumura JS (*see* Garcia et al). 2001;34:792-7
Matsumura JS (*see* Morasch et al). 2001;34:680-4
Matsuura JH (*see* Rosenthal et al). 2001;34:428-33
Mattos MA (*see* Crouch et al). 2001;34:62-8
May J. Regarding "Identification and implications of transgraft microleaks after endovascular repair of aortic aneurysms." 2001;34:369-70
McArthur C (*see* Morrissey et al). 2001;34:503-12
McCullough LB (*see* Jones and McCullough). 2001;34:952, 1133-4
McKinlay S (*see* White et al). 2001;34:1139-46
McKinnon WM (*see* Sullivan et al). 2001;34:559-61 (Case rep.)
McKinsey JF (*see* Meyerson et al). 2001;34:27-33
McLafferty RB (*see* Crouch et al). 2001;34:62-8
Mecenas J (*see* Mehta et al). 2001;34:839-45
Mehta M, Rahmani O, Dietzek AM, Mecenas J, Scher LA, Friedman SG, Safa T, Ohki T, Veith FJ. Eversion technique increases the risk for post-carotid endarterectomy hypertension. 2001;34:839-45
Mehta M (*see* Dadian et al). 2001;34:986-96
Meier GH, Parker FM, Godziachvili V, Demasi RJ, Parent FN, Gayle RG. Endotension after endovascular aneurysm repair: the Ancure experience. 2001;34:421-7
Meissner M (*see* Carter et al). 2001;34:628-33
Menzoian JO (*see* Raffetto et al). 2001;34:173-7
Messina LM (*see* Brevetti et al). 2001;34:488-96
Messina LM (*see* Chuter et al). 2001;34:98-105
Meyerson SL, Skelly CL, Curi MA, Desai TR, Katz D, Bassiouny HS, McKinsey JF, Gewertz BL, Schwartz LB. Long-term results justify autogenous infrainguinal bypass grafting in patients with end-stage renal failure. 2001;34:27-33
Meyerson SL, Skelly CL, Curi MA, Shakur UM, Vosicky JE, Glagov S, Schwartz LB, Christen T, Gabbiani G. The effects of extremely low shear stress on cellular proliferation and neointimal thickening in the failing bypass graft. 2001;34:90-7. Correction 2001;34:580
Michel JB (*see* Gomes et al). 2001;34:707-15
Miller JS (*see* Sullivan et al). 2001;34:559-61 (Case rep.)
Miller M (*see* Benedetto et al). 2001;34:139-42
Minion DJ (*see* Schwarcz et al). 2001;34:447-52
Mitchell ME (*see* Carpenter at al). 2001;34:1050-4
Miyata T (*see* Tabata et al). 2001;34:739-42 (Case rep.)
Molina JE. Regarding "Long-term functional outcome of neurogenic thoracic outlet syndrome in surgically and conservatively treated patients." 2001;34:760-1 (Letter)
Moneta G. In memoriam: John Marshall Porter, MD (1938-2001). 2001;34:189
Money SM (*see* Glickman et al). 2001;34:465-73
Money SR (*see* Lepore et al). 2001;34:581-6
Mongrédien B (*see* Chemla et al). 2001;34:743-7 (Case rep.)
Moore WS (*see* Kashyap et al). 2001;34:323-9
Morasch MD, Ebaugh JL, Chiou AC, Matsumura JS, Pearce WH, Yao JST. Mesenteric venous thrombosis: a changing clinical entity. 2001;34:680-4
Morasch MD (*see* Ebaugh et al). 2001;34:21-6
Morasch MD (*see* Garcia et al). 2001;34:792-7
Moriyama S (*see* Sun et al). 2001;34:151-5
Morrissey N (*see* Faries et al). 2001;34:892-9
Morrissey N (*see* Yano et al). 2001;34:69-75, 204-11
Morrissey NJ, Yano OJ, Soundararajan K, Eisen L, McArthur C, Teodorescu V, Kerstein M, Hollier L, Marin ML. Endovascular repair of para-anastomotic aneurysms of the aorta and iliac arteries: preferred treatment for a complex problem. 2001;34:503-12
Morshuis WJ (*see* Dongen et al). 2001;34:1035-40
Mosorin M, Juvonen J, Biancari F, Satta J, Surcel HM, Leinonen M, Saikku P, Juvonen T. Use of doxycycline to decrease the growth rate of abdominal aortic aneurysms: a randomized, double-blind, placebo-controlled pilot study. 2001;34:606-10
Moursi MM (*see* Cruz et al). 2001;34:724-9
Moursi MM (*see* Smith et al). 2001;34:474-81
Mower WR (*see* Hua and Mower). 2001;34:308-15
Mozes GI (*see* Noel et al). 2001;34:41-6
Mudaliar JH, Liem TK, Nichols WK, Spadone DP, Silver D. Lepirudin is a safe and effective anticoagulant for patients with heparin-associated antiplatelet antibodies. 2001;34:17-20
Müller M, Ciccotti P, Reiche W, Hagen T. Comparison of color-flow Doppler scanning, power Doppler scanning, and frequency shift for assessment of carotid artery stenosis. 2001;34:1090-6
Müller M (*see* Hollyoak et al). 2001;34:656-60
Muiligan MS (*see* Carter et al). 2001;34:628-33
Muluk SC (*see* Aquino et al). 2001;34:878-84, 962-71
Muluk VS (*see* Aquino et al). 2001;34:962-71
Mura RL (*see* Parodi et al). 2001;34:909-14
Mussot S (*see* Lesèche et al). 2001;34:616-22
Muto PM (*see* Chew et al). 2001;34:364-6 (Case rep.)

N

Nagahiro S (*see* Uno et al). 2001;34:532-40
Nagase H (*see* Nollendorfs et al). 2001;34:316-22
Najibi S, Steinberg J, Katzen BT, Zemel G, Lin PH, Weiss VJ, Lumsden AB, Chaikof EL. Detection of isolated hook fractures 36 months after implantation of the Ancure endograft: a cautionary note. 2001;34:353-6 (Case rep.)
Najibi S (*see* Bush et al). 2001;34:497-502
Najibi S (*see* Lin et al). 2001;34:1119-22
Naslund TC (*see* Passman et al). 2001;34:846-53
Neglen P (*see* Raju et al). 2001;34:779-84
Nelson PR, Powell RJ, Proia RR, Schermerhorn ML, Fillinger MF, Zwolak RM, Walsh DB, Cronenwett JL. Results of endovascular superficial femoral endarterectomy. 2001;34:526-31

Nemoto EM (*see* Vorp et al). 2001;34:291-9
Newman PJ (*see* Farooq et al). 2001;34:555-8
Nguyen BN (*see* Cassada et al). 2001;34:482-8
Nichols WK (*see* Mudaliar et al). 2001;34:17-20
Nicolaides AN (*see* Kakkos et al). 2001;34:915-22
Noel AA, Gloviczki P, Bender CE, Whitley D, Stanson AW, Deschamps C. Treatment of symptomatic primary chylous disorders. 2001;34:785-91
Noel AA, Gloviczki P, Cherry KJ Jr, Bower TC, Panneton JM, Mozes GI, Harmsen WS, Jenkins GD, Hallett JW Jr. Ruptured abdominal aortic aneurysms: the excessive mortality rate of conventional repair. 2001;34:41-6
Noel AA, Gloviczki P. Regarding "Surgical treatment of venous malformation in Kippel-Trénaunay syndrome." 2001;34:573-4 (Letter reply)
Noel AA (*see* Oderich et al). 2001;34:900-8
Nollendorfs A, Greiner TC, Nagase H, Baxter BT. The expression and localization of membrane type-1 matrix metalloproteinase in human abdominal aortic aneurysms. 2001;34:316-22
Novotney ML (*see* Bandyk et al). 2001;34:411-20

O

O'Brien-Irr MS (*see* Dryjski et al). 2001;34:1010-5
Ochsner J. The complex life of Rudolph Matas. 2001;34:387-92
Oderich GS, Panneton JM, Bower TC, Cherry KJ Jr, Rowland CM, Noel AA, Hallett JW Jr, Gloviczki P. Infected aortic aneurysms: aggressive presentation, complicated early outcome, but durable results. 2001;34:900-8
O'Fallon WM (*see* Rasmussen et al). 2001;34:84-9
Ogawa S (*see* Vorp et al). 2001;34:291-9
Ogren J (*see* Bhama et al). 2001;34:1130-2 (Case rep.)
O'Hara PJ, Hertzer NR, Karafa MT, Mascha EJ, Krajewski LP, Beven EG. Reoperation for recurrent carotid stenosis: early results and late outcome in 199 patients. 2001;34:5-12
O'Hara PJ (*see* Tsoukas et al). 2001;34:1041-9
Ohki T (*see* Dadian et al). 2001;34:986-96
Ohki T (*see* Mehta et al). 2001;34:839-45
Ohki T (*see* Suggs et al). 2001;34:668-72
Okamoto K (*see* Sun et al). 2001;34:151-5
Olcott C IV (*see* Arko et al). 2001;34:885-91
Oostenbrink JB, Tangelder MJD, Busschbach JJV, Hout BAV, Buskens E, Algra A, Lawson JA, Eikelboom BC. Cost-effectiveness of oral anticoagulants versus aspirin in patients after infrainguinal bypass grafting surgery. 2001;34:254-62
Osborne-Pellegrin M (*see* Gomes et al). 2001;34:707-15
Osende J (*see* Kerr et al). 2001;34:350-2
O'Shaughnessy AM, FitzGerald DE. Underlying factors influencing the development of the post-thrombotic limb. 2001;34:247-53
Oshiro H (*see* Tabata et al). 2001;34:739-42 (Case rep.)
Östholm G (*see* Löfberg et al). 2001;34:114-21
Ouriel K, Greenberg RK, Sarac TP. Hemodynamic conditions at the carotid bifurcation during protective common carotid occlusion. 2001;34:577-80
Ouriel K (*see* Matsumura et al). 2001;34:190-7
Ouriel K (*see* Shortell et al). 2001;34:854-9
Owen S Jr (*see* Raju et al). 2001;34:779-84
Owens LV, Xu LH, Marston WA, Yang XH, Farber MA, Iacocco MV, Cance WG, Keagy BA. Overexpression of the focal adhesion kinase (p125FAK) in the vascular smooth muscle cells of intimal hyperplasia. 2001;34:344-9
Ozaki CK (*see* Derrow et al). 2001;34:54-61

P

Pack R (*see* Brevetti et al). 2001;34:488-96
Padberg FT Jr (*see* Saito et al). 2001;34:930-8
Pangilinan A (*see* Qin et al). 2001;34:701-6
Panneton JM, Andrews JC, Hofer JM. Superior vena cava syndrome: relief with a modified saphenojugular bypass graft. 2001;34:360-3 (Case rep.)
Panneton JM (*see* Noel et al). 2001;34:41-6
Panneton JM (*see* Oderich et al). 2001;34:900-8
Pappas PJ (*see* Saito et al). 2001;34:930-8
Parent FN (*see* Meier et al). 2001;34:421-7
Park HY (*see* Raffetto et al). 2001;34:173-7
Parker FM (*see* Meier et al). 2001;34:421-7
Parker JE. (*see* Stahlfeld and Parker). 2001;34:172 (Tech. note)
Parks WC (*see* Wassef et al). 2001;34:730-8
Parodi JC, Berguer R, Ferreira LM, Mura RL, Schermerhorn ML. Intra-aneurysmal pressure after incomplete endovascular exclusion. 2001;34:909-14
Passman MA, Guzman RJ, Pierce R, Naslund TC. Impact of Medicare denials on noninvasive vascular diagnostic testing. 2001;34:846-53
Paty PSK, Darling RC III, Lee D, Chang BB, Roddy SP, Kreienberg PB, Lloyd WE, Shah DM. Is prosthetic renal artery reconstruction a durable procedure? An analysis of 389 bypass grafts. 2001;34:127-32
Pearce WH (*see* Ebaugh et al). 2001;34:21-6
Pearce WH (*see* Feinglass et al). 2001;34:283-90
Pearce WH (*see* Garcia et al). 2001;34:792-7
Pearce WH (*see* Morasch et al). 2001;34:680-4
Pearce WH (*see* Wassef et al). 2001;34:730-8
Perler BA (*see* Dardik et al). 2001;34:405-10
Peterson DA, Kazerooni EA, Wakefield TW, Knipp BS, Forauer AR, Bailey BJ, Sullivan VV, Proctor MC, Henke PK, Greenfield LJ, Stanley JC, Upchurch GR Jr. Computed tomographic venography is specific but not sensitive for diagnosis of acute lower-extremity deep venous thrombosis in patients with suspected pulmonary embolism. 2001;34:798-804
Peterson DA (*see* Upchurch et al). 2001;34:76-83
Petit MD (*see* Lesèche et al). 2001;34:616-22
Pevec WC (*see* Lee et al). 2001;34:1096-1102
Pierce R (*see* Passman et al). 2001;34:846-53
Pinter L (*see* Kolvenbach et al). 2001;34:216-21
Platsoucas CD (*see* Wassef et al). 2001;34:730-8
Plissonnier D (*see* Gomes et al). 2001;34:707-15
Plonk GW Jr (*see* Travis et al). 2001;34:860-5
Porter JM (*see* Landry and Porter). 2001;34:760-1 (Letter reply)
Porter KE, Dickinson T, London NJM. Inhibition of neointima formation in an organ culture of human saphenous vein: a comparison of dual endothelin-converting enzyme/neutral endopeptidase and selective neutral endopeptidase inhibition. 2001;34:548-54
Portinos A. (*see* Dimikakos and Portinos). 2001;34:573-4 (Letter)
Powell RJ (*see* Nelson et al). 2001;34:526-31
Proctor MC, Greenfield LJ, Wakefield TW, Zajkowski PJ. A clinical comparison of pneumatic compression devices: the basis for selection. 2001;34:459-64
Proctor MC (*see* Peterson et al). 2001;34:798-804
Proctor MC (*see* Upchurch et al). 2001;34:76-83
Profeta B (*see* Kahn et al). 2001;34:979-82
Proia RR (*see* Nelson et al). 2001;34:526-31
Pryor L (*see* Labropoulos et al). 2001;34:872-7

Q

Qin F, Dardik H, Pangilinan A, Robinson J, Chuy J, Wentgerter K. Remodeling and suppression of intimal hyperplasia of vas-

cular grafts with a distal arteriovenous fistula in a rat model. 2001;34:701-6
Queiroz R (*see* Shortell et al). 2001;34:854-9
Quick RC (*see* Schwarcz et al). 2001;34:447-52
Quist WC (*see* Sivamurthy et al). 2001;34:716-23
Quist WC (*see* Stone et al). 2001;34:1016-22

R

Raffetto JD, Laverkus M, Park HY, Menzoian JO. Synopsis on cellular senescence and apoptosis. 2001;34:173-7
Rahmani O (*see* Mehta et al). 2001;34:839-45
Raines EW (*see* Lepidi et al). 2001;34:1111-8
Raju S, Owen S Jr, Neglen P. Reversal of abnormal lymphoscintigraphy after placement of venous stents for correction of associated venous obstruction. 2001;34:779-84
Ramsey DE (*see* Crouch et al). 2001;34:62-8
Rankin A (*see* Kemp et al). 2001;34:1103-10
Rapp J (*see* Chuter et al). 2001;34:98-105
Rasmussen TE, Hallett JW Jr, Schulte S, Harmsen WS, O'Fallon WM, Weyand CM. Genetic similarity in inflammatory and degenerative abdominal aortic aneurysms: a study of human leukocyte antigen class II disease risk genes. 2001;34:84-9
Raynaud A (*see* Chemla et al). 2001;34:743-7 (Case rep.)
Redd DC (*see* Bush et al). 2001;34:497-502
Reekers JA (*see* Koelemay et al). 2001;34:661-7
Reiche W (*see* Müller et al). 2001;34:1090-6
Reil TD (*see* Kashyap et al). 2001;34:323-9
Reilly LM (*see* Chuter et al). 2001;34:98-105
Reis ED, Li J, Fayad ZA, Rong JX, Hansoty D, Aguinaldo JG, Fallon JT, Fisher EA. Dramatic remodeling of advanced atherosclerotic plaques of the apolipoprotein E-deficient mouse in a novel transplantation model. 2001;34:541-7
Reyna JJ (*see* Arcelus et al). 2001;34:805-11
Rhee RY (*see* Aquino et al). 2001;34:878-84
Rhee RY (*see* Kibbe et al). 2001;34:156-65
Ricotta JJ. Presidential address: Towards competence in vascular care. 2001;34:955-61
Ricotta JJ. Regarding: "Timing of postcarotid complications: a guide to safe discharge planning." 2001;34:178-9
Rieger JM (*see* Cassada et al). 2001;34:482-8
Rikimaru H, Sato A, Hashizume E, Sasaki S, Watanabe T, Takada S, Kamata K, Tanabe S, Satomi S, Ishibashi T. Saccular renal artery aneurysm treated with an autologous vein-covered stent. 2001;34:169-71 (Case rep.)
Roberts N (*see* Kemp et al). 2001;34:1103-10
Robinson J (*see* Qin et al). 2001;34:701-6
Roddy SP (*see* Paty et al). 2001;34:127-32
Rohrer MJ (*see* Cahn et al). 2001;34:820-5
Rong JX (*see* Reis et al). 2001;34:541-7
Ronson RS (*see* Bush et al). 2001;34:1071-8 (Case rep.)
Roseborough GS (*see* Dardik et al). 2001;34:405-10
Rosenthal D, Schubart PJ, Kinney EV, Martin JD, Sharma R, Matsuura JH, Clark MD. Remote superficial femoral artery endarterectomy: multicenter medium-term results. 2001;34:428-33
Ross JR (*see* Glickman et al). 2001;34:465-73
Ross R (*see* Lepidi et al). 2001;34:1111-8
Rowe VL (*see* Yu et al). 2001;34:337- 343
Rowland CM (*see* Oderich et al). 2001;34:900-8
Rubin GD (*see* Wolf et al). 2001;34:594-9
Ruckley CV (*see* Stuart et al). 2001;34:774-8
Rush DS (*see* Katras et al). 2001;34:453-8
Rutegård J (*see* Wanhainen et al). 2001;34:229-35
Ryden-Ahlgren ± (*see* Sandgren et al). 2001;34:1079-84
Ryu RK (*see* Matsumura et al). 2001;34:190-7

S

Sabetai MM (*see* Kakkos et al). 2001;34:915-22
Safa T (*see* Mehta et al). 2001;34:839-45
Safar HA (*see* Jahromi et al). 2001;34:1029-34
Saikku P (*see* Mosorin et al). 2001;34:606-10
Saito S, Trovato MJ, You R, Lal BK, Fasehun F, Padberg FT Jr, Hobson RW II, Durán WN, Pappas PJ. Role of matrix metalloproteinases 1, 2, and 9 and tissue inhibitor of matrix metalloproteinase-1 in chronic venous insufficiency. 2001;34:930-8
Saito T (*see* Tabata et al). 2001;34:739-42 (Case rep.)
Salartash K (*see* Lepore et al). 2001;34:581-6
Sanchez LA (*see* Suggs et al). 2001;34:668-72
Sandgren T, Sonesson B, Ryden-Ahlgren Å, Länne T. Arterial dimensions in the lower extremities of patients with abdominal aortic aneurysms-no indications of a generalized dilating diathesis. 2001;34:1079-84
Sapirstein W, Chandeysson P, Wentz C. The Food and Drug Administration approval of endovascular grafts for abdominal aortic aneurysm: an 18-month retrospective. 2001;34:180-3 (Editorial)
Sarac TP (*see* Ouriel et al). 2001;34:577-80
Sarkar R (*see* Brevetti et al). 2001;34:488-96
Sasaki S (*see* Rikimaru et al). 2001;34:169-71 (Case rep.)
Sato A (*see* Rikimaru et al). 2001;34:169-71 (Case rep.)
Satomi S (*see* Rikimaru et al). 2001;34:169-71 (Case rep.)
Satta J (*see* Mosorin et al). 2001;34:606-10
Sawhney R (*see* Chuter et al). 2001;34:98-105
Schellong SM (*see* Schwarz et al). 2001;34:1065-70
Schepens MA (*see* Dongen et al). 2001;34:1035-40
Scher LA (*see* Mehta et al). 2001;34:839-45
Schermerhorn ML (*see* Nelson et al). 2001;34:526-31
Schermerhorn ML (*see* Parodi et al). 2001;34:909-14
Schlensak C, Doenst T, Hauer M, Bitu-Moreno J, Uhrmeister P, Spillner G, Beyersdorf F. Serious complications that require surgical interventions after endoluminal stent-graft placement for the treatment of infrarenal aortic aneurysms. 2001;34:198-203
Schmacht DC (*see* Bandyk et al). 2001;34:411-20
Schmidt B (*see* Schwarz et al). 2001;34:1065-70
Schröder HE (*see* Schwarz et al). 2001;34:1065-70
Schubart PJ (*see* Rosenthal et al). 2001;34:428-33
Schulte S (*see* Rasmussen et al). 2001;34:84-9
Schuman ED, (*see* Glickman et al). 2001;34:465-73
Schwarcz TH, Quick RC, Minion DJ, Kearney PA, Kwolek CJ, Endean ED. Enoxaparin treatment in high-risk trauma patients limits the utility of surveillance venous duplex scanning. 2001;34:447-52
Schwartz LB (*see* Meyerson et al). 2001;34:27-33, 90-7. Correction 2001; 34:580
Schwarz T, Schmidt B, Beyer J, Schröder HE, Schellong SM. Eligibility for home treatment of deep vein thrombosis: a prospective study in 202 consecutive patients. 2001;34:1065-70
Scott RAP (*see* Lindholt et al). 2001;34:212-15
Scultetus AH, Villavicencio JL, Gillespie DL. The nutcracker syndrome: its role in the pelvic venous disorders. 2001;34:812-19
Seabrook GR (*see* Farooq et al). 2001;34:555-8
Sebe A (*see* Uno et al). 2001;34:532-40
Seeber P (*see* Fischer et al). 2001;34:236-40
Seeger JM (*see* Derrow et al). 2001;34:54-61
Seeger JM (*see* Huber and Seeger). 2001;34:393-6, 751-6

Sehgal LR (*see* Arcelus et al). 2001;34:805-11
Serra A (*see* Farooq et al). 2001;34:555-8
Shah DM (*see* Paty et al). 2001;34:127-32
Shah S (*see* Garcia et al). 2001;34:792-7
Shakur UM (*see* Meyerson et al). 2001;34:90-7. Correction 2001; 34:580
Sharma R (*see* Rosenthal et al). 2001;34:428-33
Sheehan MK, Baker WH, Littooy FN, Mansour MA, Kang SS. Timing of postcarotid complications: a guide to safe discharge planning. 2001;34:13-16
Sherrard DJ (*see* Gibson et al). 2001;34:694-700
Shigematsu H (*see* Tabata et al). 2001;34:739-42 (Case rep.)
Shimono T (*see* Kato et al). 2001;34:513-18, 1023-8
Shindo S (*see* Iyori et al). 2001;34:330-6
Shortell CK, Queiroz R, Johansson M, Waldman D, Illig KA, Ouriel K, Green RM. Safety and efficacy of limited-dose tissue plasminogen activator in acute vascular occlusion. 2001;34:854-9
Sicard GA (*see* White et al). 2001;34:1139-46
Silver D (*see* Mudaliar et al). 2001;34:17-20
Simon K (*see* White et al). 2001;34:1139-46
Sivamurthy N, Stone DH, LoGerfo FW, Quist WC. Apolipoprotein J inhibits the migration, adhesion, and proliferation of vascular smooth muscle cells. 2001;34:716-23
Sivamurthy N (*see* Stone et al). 2001;34:1016-22
Skardasis GM (*see* Sullivan et al). 2001;34:559-61 (Case rep.)
Skelly CL (*see* Meyerson et al). 2001;34:27-33, 90-7. Correction 2001; 34:580
Skotnicki SH (*see* Haenen et al). 2001;34:649-55
Smith C (*see* Dobrilovic et al). 2001;34:562-4 (Case rep.)
Smith TP, Cruz CP, Brown AT, Eidt JF, Moursi MM. Folate supplementation inhibits intimal hyperplasia induced by a high-homocysteine diet in a rat carotid endarterectomy model. 2001;34:474-81
Sonesson B (*see* Sandgren et al). 2001;34:1079-84
Sorensen M (*see* Feinglass et al). 2001;34:283-90
Soundararajan K (*see* Morrissey et al). 2001;34:503-12
Soundararajan K (*see* Yano et al). 2001;34:204-11
Spadone DP (*see* Mudaliar et al). 2001;34:17-20
Spielvogel D (*see* Gravereaux et al). 2001;34:997-1003
Spillner G (*see* Schlensak et al). 2001;34:198-203
Spreafico G (*see* Kurz et al). 2001;34:641-8
Stahlfeld KR, Parker JE. Vessel loops made easy. 2001;34:172 (Tech. note)
Stanley JC (*see* Cardneau et al). 2001;34:34-40
Stanley JC (*see* Peterson et al). 2001;34:798-804
Stanley JC (*see* Upchurch et al). 2001;34:76-83
Stanson AW (*see* Noel et al). 2001;34:785-91
Stanton PE Jr (*see* Katras et al). 2001;34:453-8
Starnes VA (*see* Yu et al). 2001;34:337- 343
Stehman-Breen CO (*see* Gibson et al). 2001;34:694-700
Steijlen PM (*see* Haenen et al). 2001;34:649-55
Stein TA (*see* Chang and Stein). 2001;34:133-8
Steinberg J (*see* Najibi et al). 2001;34:353-6 (Case rep.)
Sternbergh WC III (*see* Glickman et al). 2001;34:465-73
Sternbergh WC III (*see* Lepore et al). 2001;34:581-6
Stevens SL (*see* Timaran et al). 2001;34:440-6, 971-8
Stokes GK (*see* Glickman et al). 2001;34:465-73
Stone DH, Sivamurthy N, Contreras MA, Fitzgerald L, LoGerfo FW, Quist WC. Altered ubiquitin / proteasome expression in anastomotic intimal hyperplasia. 2001;34:1016-22
Stone DH (*see* Sivamurthy et al). 2001;34:716-23
Stone PA (*see* AbuRahma et al). 2001;34:831-8
Straceski AJ (*see* Chew et al). 2001;34:364-6 (Case rep.)
Stuart WP, Lee AJ, Allan PL, Ruckley CV, Bradbury AW. Most incompetent calf perforating veins are found in association with superficial venous reflux. 2001;34:774-8
Suggs WD, Sanchez LA, Woo D, Lipsitz EC, Ohki T, Veith FJ. Endoscopically assisted in situ lower extremity bypass graft: a preliminary report of a new minimally invasive technique. 2001;34:668-72
Suggs WD (*see* Dadian et al). 2001;34:986-96
Sukhova GK (*see* Wassef et al). 2001;34:730-8
Sullivan KM, Battey PM, Miller JS, McKinnon WM, Skardasis GM. Abdominal compartment syndrome after mesenteric revascularization. 2001;34:559-61 (Case rep.)
Sullivan VV (*see* Peterson et al). 2001;34:798-804
Sumner DS. Hibiscus Corner. 2001;34:759
Sumner DS. Mr Lincoln's kitchen. 2001;34:954
Sumner DS (*see* Crouch et al). 2001;34:62-8
Sun LB, Utoh J, Moriyama S, Tagami H, Okamoto K, Kitamura N. Topically applied tissue factor pathway inhibitor reducing intimal thickness of small arterial autografts in rabbits. 2001;34:151-5
Surcel HM (*see* Mosorin et al). 2001;34:606-10
Sutterfield WC (*see* Katras et al). 2001;34:453-8
Suzuki O (*see* Iyori et al). 2001;34:330-6
Szendro G (*see* Kakkos et al). 2001;34:915-22

T

Tabata M, Kitagawa T, Saito T, Uozaki H, Oshiro H, Miyata T, Shigematsu H. Extracranial carotid aneurysm in Takayasu's arteritis. 2001;34:739-42 (Case rep.)
Tada Y (*see* Iyori et al). 2001;34:330-6
Tagami H (*see* Sun et al). 2001;34:151-5
Takada S (*see* Rikimaru et al). 2001;34:169-71 (Case rep.)
Takeda K (*see* Kato et al). 2001;34:513-18, 1023-8
Tanabe S (*see* Rikimaru et al). 2001;34:169-71 (Case rep.)
Tangelder MJD (*see* Oostenbrink et al). 2001;34:254-62
Tanner HM (*see* Trout and Tanner). 2001;34:565-8
Tassiopoulos AK (*see* Labropoulos et al). 2001;34:872-7
Tatò F (*see* Weber et al). 2001;34:943-6 (Case rep.)
Tefera G (*see* Turnipseed et al). 2001;34:47-53
Teodorescu V (*see* Morrissey et al). 2001;34:503-12
Teodorescu V (*see* Yano et al). 2001;34:69-75
Teodorescu VJ (*see* Faries et al). 2001;34:892-9
Teodorescu VL (*see* Yano et al). 2001;34:204-11
Terramani TT (*see* Yu et al). 2001;34:337- 343
Thien T (*see* Haenen et al). 2001;34:649-55
Thompson RW (*see* Tung et al). 2001;34:143-50
Thompson RW (*see* Upchurch et al). 2001;34:76-83
Thompson RW (*see* Wassef et al). 2001;34:730-8
Tillich M (*see* Wolf et al). 2001;34:594-9
Tilson MD (*see* Wassef et al). 2001;34:730-8
Timaran CH, Stevens SL, Freeman MB, Goldman MH. External iliac and common iliac artery angioplasty and stenting in men and women. 2001;34:440-6
Timaran CH, Stevens SL, Freeman MB, Goldman MH. Infrainguinal arterial reconstructions in patients with aortoiliac occlusive disease: the influence of iliac stenting. 2001;34:971-8
Tiongson J (*see* Labropoulos et al). 2001;34:872-7
Tong FC (*see* Lin et al). 2001;34:939-42 (Case rep.)
Tonnessen B (*see* Lepore et al). 2001;34:581-6
Toussaint JF (*see* Chemla et al). 2001;34:743-7 (Case rep.)
Towne JB (*see* Farooq et al). 2001;34:555-8

Travis JA, Fuller SB, Ligush J Jr, Plonk GW Jr, Geary RL, Hansen KJ. Diagnosis and treatment of paradoxical embolus. 2001;34: 860-5
Tribble CG (*see* Cassada et al). 2001;34:482-8
Tribble CG (*see* Kaza et al). 2001;34:367-8 (Tech. note)
Trout HH III, Tanner HM. A new vascular Endostaple: a technical description. 2001;34:565-8
Trovato MJ (*see* Saito et al). 2001;34:930-8
Tsoukas AI, Hertzer NR, Mascha EJ, O'Hara PJ, Krajewski LP, Beven EG. Simultaneous aortic replacement and renal artery revascularization: the influence of preoperative renal function on early risk and late outcome. 2001;34:1041-9
Tung WS, Lee JK, Thompson RW. Simultaneous analysis of 1176 gene products in normal human aorta and abdominal aortic aneurysms using a membrane-based complementary DNA expression array. 2001;34:143-50
Turnipseed WD, Carr SC, Tefera G, Acher CW, Hoch JR. Minimal incision aortic surgery. 2001;34:47-53
Tyazi A (*see* Haulon et al). 2001;34:600-5
Tzeng E (*see* Kibbe et al). 2001;34:156-65
Tzeng EY (*see* Aquino et al). 2001;34:878-84

U

Uhrmeister P (*see* Schlensak et al). 2001;34:198-203
Uno M, Hamazaki F, Kohno T, Sebe A, Horiguchi H, Nagahiro S. Combined therapeutic approach of intra-arterial thrombolysis and carotid endarterectomy in selected patients with acute thrombotic carotid occlusion. 2001;34:532-40
Uozaki H (*see* Tabata et al). 2001;34:739-42 (Case rep.)
Upchurch GR Jr, Ford JW, Weiss SJ, Knipp BS, Peterson DA, Thompson RW, Eagleton MJ, Broady AJ, Proctor MC, Stanley JC. Nitric oxide inhibition increases matrix metalloproteinase-9 expression by rat aortic smooth muscle cells in vitro. 2001;34:76-83
Upchurch GR Jr (*see* Cardneau et al). 2001;34:34-40
Upchurch GR Jr (*see* Peterson et al). 2001;34:798-804
Utoh J (*see* Sun et al). 2001;34:151-5

V

Veith FJ, Ascher E. A tribute to Henry Haimovici, September 7, 1907—July 10, 2001. 2001;34:1135-6 (Obituary)
Veith FJ (*see* Dadian et al). 2001;34:986-96
Veith FJ (*see* Mehta et al). 2001;34:839-45
Veith FJ (*see* Suggs et al). 2001;34:668-72
Velazquez OC (*see* Carpenter at al). 2001;34:1050-4
Villavicencio JL, Gillespie DL, Kreishman P. Controlled ischemia for complex venous surgery: the technique of choice. 2001; 34:947-51 (Tech. note)
Villavicencio JL (*see* Scultetus et al). 2001;34:812-19
Voellinger DC (*see* Jordan et al). 2001;34:434-9
Volkmann R (*see* Zachrisson et al). 2001;34:263-8
Vorp DA, Lee PC, Wang DHJ, Makaroun MS, Nemoto EM, Ogawa S, Webster MW. Association of intraluminal thrombus in abdominal aortic aneurysm with local hypoxia and wall weakening. 2001;34:291-9
Vos HD (*see* Koelemay et al). 2001;34:661-7
Vosicky JE (*see* Meyerson et al). 2001;34:90-7. Correction 2001; 34:580

W

Wain RA (*see* Dadian et al). 2001;34:986-96
Wakefield TW (*see* Cardneau et al). 2001;34:34-40
Wakefield TW (*see* Hurst et al). 2001;34:106-13
Wakefield TW (*see* Peterson et al). 2001;34:798-804
Wakefield TW (*see* Proctor et al). 2001;34:459-64
Waldman D (*see* Shortell et al). 2001;34:854-9
Wall SD (*see* Chuter et al). 2001;34:98-105
Walsh DB (*see* Nelson et al). 2001;34:526-31
Wan S (*see* Yano et al). 2001;34:204-11
Wang DHJ (*see* Vorp et al). 2001;34:291-9
Wang Y (*see* Yu et al). 2001;34:337- 343
Wang YF (*see* Cruz et al). 2001;34:724-9
Wanhainen A, Björck M, Boman K, Rutegård J, Bergqvist D. Influence of diagnostic criteria on the prevalence of abdominal aortic aneurysm. 2001;34:229-35
Wassef M, Baxter BT, Chisholm RL, Dalman RL, Fillinger MF, Heinecke J, Humphrey JD, Kuivaniemi H, Parks WC, Pearce WH, Platsoucas CD, Sukhova GK, Thompson RW, Tilson MD, Zarins CK. Pathogenesis of abdominal aortic aneurysms: a multidisciplinary research program supported by the National Heart, Lung, and Blood Institute. 2001;34:730-8
Watanabe T (*see* Rikimaru et al). 2001;34:169-71 (Case rep.)
Watkins SC (*see* Kibbe et al). 2001;34:156-65
Weaver FA (*see* Yu et al). 2001;34:337- 343
Weaver KD, Wiseman DB, Farber M, Ewend MG, Marston W, Keagy BA. Complications of lumbar drainage after thoracoabdominal aortic aneurysm repair. 2001;34:623-7
Weber C, Tatò F, Brandl T, Kellner W, Hoffmann U. Adult moyamoya disease with peripheral artery involvement. 2001;34: 943-6 (Case rep.)
Webster MW. Presidential address: a belated obituary. 2001;34: 826-30
Webster MW (*see* Vorp et al). 2001;34:291-9
Weir P (*see* Hollyoak et al). 2001;34:656-60
Weiss SJ (*see* Upchurch et al). 2001;34:76-83
Weiss VJ (*see* Bush et al). 2001;34:497-502
Weiss VJ (*see* Lin et al). 2001;34:1119-22
Weiss VJ (*see* Najibi et al). 2001;34:353-6 (Case rep.)
Welke KF (*see* Woodrum et al). 2001;34:166-8 (Case rep.)
Wentgerter K (*see* Qin et al). 2001;34:701-6
Wentz C (*see* Sapirstein et al). 2001;34:180-3
Westman B (*see* Löfberg et al). 2001;34:114-21
Weyand CM (*see* Rasmussen et al). 2001;34:84-9
White RA, Abel D, Cronenwett JL, DeWeese JA, Fogarty TJ, Glagov S, Gordon D, Hodgson KJ, Mannick JA, McKinlay S, Sicard GA, Simon K, Zarins CK, Lifeline Registry of Endovascular Aneurysm Repair Steering Committee. Lifeline Registry: collaborative evaluation of endovascular aneurysm repair. 2001;34:1139-46
Whitley D (*see* Noel et al). 2001;34:785-91
Whittemore AD (*see* Eslami et al). 2001;34:923-9
Whittle JC (*see* Aquino et al). 2001;34:962-71
Williams DM (*see* Hurst et al). 2001;34:106-13
Williams GM (*see* Dardik et al). 2001;34:405-10
Williams GT (*see* Anwar et al). 2001;34:357-9 (Case rep.)
Willoteaux S (*see* Haulon et al). 2001;34:600-5
Wilson MW (*see* Chuter et al). 2001;34:98-105
Wilson SE (*see* Lederle et al). 2001;34:122-6
Wirthlin DJ (*see* Jordan et al). 2001;34:434-9
Wiseman DB (*see* Weaver et al). 2001;34:623-7
Wolf YG, Tillich M, Lee WA, Rubin GD, Fogarty TJ, Zarins CK. Impact of aortoiliac tortuosity on endovascular repair of abdominal aortic aneurysms: evaluation of 3D computer-based assessment. 2001;34:594-9
Wollersheim H (*see* Haenen et al). 2001;34:649-55
Woo D (*see* Suggs et al). 2001;34:668-72

Woodruff P (*see* Hollyoak et al). 2001;34:656-60
Woodrum DT, Welke KF, Fillinger MF. Candida infection associated with a solitary mycotic common iliac artery aneurysm. 2001;34:166-68 (Case rep.)
Wulu JT (*see* AbuRahma et al). 2001;34:831-8

X

Xu LH (*see* Owens et al). 2001;34:344-9

Y

Yada I (*see* Kato et al). 2001;34:513-18, 1023-8
Yang XH (*see* Owens et al). 2001;34:344-9
Yano OJ, Faries PL, Morrissey N, Teodorescu V, Hollier LH, Marin ML. Ancillary techniques to facilitate endovascular repair of aortic aneurysms. 2001;34:69-75
Yano OJ, Morrissey N, Eisen L, Faries PL, Soundararajan K, Wan S, Teodorescu V, Kerstein M, Hollier LH, Marin ML. Intentional internal iliac artery occlusion to facilitate endovascular repair of aortoiliac aneurysms. 2001;34:204-11
Yano OJ (*see* Morrissey et al). 2001;34:503-12
Yao JS (*see* Morasch et al). 2001;34:680-4
Yao JST (*see* Garcia et al). 2001;34:792-7
You R (*see* Saito et al). 2001;34:930-8
Yu H, Wang Y, Eton D, Rowe VL, Terramani TT, Cramer DV, Starnes VA, Weaver FA. Dual cell seeding and the use of zymogen tissue plasminogen activator to improve cell retention on polytetrafluoroethylene grafts. 2001;34:337-343
Yutan E, Glickerman DJ, Caps MT, Hatsukami T, Harley JD, Kohler TR, Davies MG. Percutaneous transluminal revascularization for renal artery stenosis: Veterans Affairs Puget Sound Health Care System experience. 2001;34:685-93

Z

Zachrisson H, Berthelsen B, Blomstrand C, Holm J, Volkmann R. Influence of poststenotic collateral pressure on blood flow velocities within high-grade carotid artery stenosis: differences between morphologic and functional measurements. 2001;34:263-8
Zajkowski PJ (*see* Proctor et al). 2001;34:459-64
Zarins CK (*see* Wassef et al). 2001;34:730-8
Zarins CK (*see* White et al). 2001;34:1139-46
Zarins CK (*see* Wolf et al). 2001;34:594-9
Zarins CK (*see* Arko et al). 2001;34:885-91
Zemel G (*see* Najibi et al). 2001;34:353-6 (Case rep.)
Zuccarelli F (*see* Kurz et al). 2001;34:641-8
Zwolak RM (*see* Alvarado et al). 2001;34:1123-8 (Case rep.)
Zwolak RM (*see* Nelson et al). 2001;34:526-31

*Subject index**

A

Abdomen
Abdominal compartment syndrome after mesenteric revascularization (Sullivan et al). 2001;34:559-61 (Case rep.)

Adenosine
An adenosine A2A agonist, ATL-146e, reduces paralysis and apoptosis during rabbit spinal cord reperfusion (Cassada et al). 2001;34:482-8

Adenoviruses
Administration of adenoviral vectors induces gangrene in acutely ischemic rat hindlimbs: role of capsid protein-induced inflammation (Brevetti et al). 2001;34:489-96

Aged
Infrainguinal revascularizations in octogenarians and septuagenarians (Chang and Stein). 2001;34:133-8

Ambulatory care
Eligibility for home treatment of deep vein thrombosis: a prospective study in 202 consecutive patients (Schwarz et al). 2001;34:1065-70

Ambulatory surgical procedures
Regarding: "Timing of postcarotid complications: a guide to safe discharge planning" (Ricotta). 2001;34:178-9 (Invited comment)

American Venous Forum
Myths, mystique, and misconceptions of venous disease (Comerota). 2001;34:765-73

Anastomosis, surgical
Effects of anastomotic angle on vascular tissue responses at end-to-end arterial grafts (Jackson et al). 2001;34:300-7

Anatomy
Fascial relationships of the short saphenous vein (Caggiati). 2001;34:241-6

Aneurysm
Aneurysms of the innominate artery: surgical treatment of 27 patients (Kieffer et al). 2001;34:222-8
Extracranial carotid aneurysm in Takayasu's arteritis (Tabata et al). 2001;34:739-42 (Case rep.)
Intra-aneurysmal pressure after incomplete endovascular exclusion (Parodi et al). 2001;34:909-14
Saccular renal artery aneurysm treated with an autologous vein-covered stent (Rikimaru et al). 2001;34:169-71 (Case rep.)

Aneurysm, dissecting
Aneurysmal degeneration of the aorta after stent-graft repair of acute aortic dissection (Kato et al). 2001;34:513-18

Aneurysm, false
Intra-arterial thrombin injection of an ascending aortic pseudoaneurysm complicated by transient ischemic attack and rescued with systemic abciximab (Lin et al). 2001;34:939-42 (Case rep.)

Aneurysm, infected
Candida infection associated with a solitary mycotic common iliac artery aneurysm (Woodrum et al). 2001;34:166-8 (Case rep.)
Indicators of infection with Chlamydia pneumoniae are associated with expansion of abdominal aortic aneurysms (Lindholt et al). 2001;34:212-15
Infected aortic aneurysms: aggressive presentation, complicated early outcome, but durable result (Oderich et al). 2001;34:900-8
Long-term results of cryopreserved arterial allograft reconstruction in infected prosthetic grafts and mycotic aneurysms of the abdominal aorta (Lesèche et al). 2001;34:616-22

Aneurysm, mycotic; *see* Aneurysm, infected

Aneurysm, ruptured
Abdominal aortic aneurysm in women (Lederle et al). 2001;34:122-6
Behçet's disease: endovascular management of a ruptured peripheral arterial aneurysm (Kasirajan et al). 2001;34:1127-9 (Case rep.)
Ruptured abdominal aortic aneurysms: the excessive mortality rate of conventional repair (Noel et al). 2001;34:41-6
Simple geometric characteristics fail to reliably predict abdominal aortic aneurysm wall stresses (Hua and Mower). 2001;34:308-15

Angiography
Comparison of color-flow Doppler scanning, power Doppler scanning, and frequency shift for assessment of carotid artery stenosis (Müller et al). 2001;34:1090-5
Duplex scanning allows selective use of arteriography in the management of patients with severe lower leg arterial disease (Koelemay et al). 2001;34:661-7

Angioplasty
Durability of eversion carotid endarterectomy: comparison with primary closure and carotid patch angioplasty (Katras et al). 2001;34:453-8
Endovascular repair of bleeding aortoenteric fistulas: a 5-year experience (Burks et al). 2001;34:1055-9
External iliac and common iliac artery angioplasty and stenting in men and women (Timaran et al). 2001;34:440-6
Infrainquinal arterial reconstructions in patients with aortoiliac occlusive disease: the influence of iliac stenting (Timaran et al). 2001;34:971-8
Lararoscopy-assisted aneurysm resection as a minimal invasive alternative in patients unsuitable for endovascular surgery (Kolvenbach et al). 2001;34:216-21
Risk of spinal cord ischemia after endograft repair of thoracic aortic aneurysms (Gravereaux et al). 2001;34:997-1003
Surgical intervention for complications caused by femoral artery catheterization in pediatric patients (Lin et al). 2001;34:1119-22

Angioplasty, balloon
Comparative study of operative treatment and percutaneous transluminal angioplasty/stenting for recurrent carotid disease (AbuRahma et al). 2001;34:831-8
Percutaneous transluminal angioplasty of the femoropopliteal arteries in limbs with chronic critical lower limb ischemia (Löfberg et al). 2001;34:114-21
Percutaneous transluminal revascularization for renal artery stenosis: Veterans Affairs Puget Sound Health Care System experience (Yutan et al). 2001;34:685-93
Reversal of abnormal lymphoscintigraphy after placement of venous stents for correction of associated venous obstruction (Raju et al). 2001;34:779-84
Transluminal placement of endovascular stent-grafts for the

*July, pp. 1-188; August pp. 189-380; September, pp. 381-576; October, pp. 577-764; November, 765-954; December, 955-1180.

treatment of type A aortic dissection with an entry tear in the descending thoracic aorta (Kato et al). 2001;34:1023-8

Anticoagulants

Acute mesenteric venous thrombosis: case for nonoperative management (Brunaud et al). 2001;34:673-9

Cost-effectiveness of oral anticoagulants versus aspirin in patients after infrainguinal bypass grafting surgery (Oostenbrink et al). 2001;34:254-62

Lepirudin is a safe and effective anticoagulant for patients with heparin-associated antiplatelet antibodies (Mudaliar et al). 2001;34:17-20

Antigens, CD31

PECAM-1/IgG attenuates peroxynitrite-mediated extremity reperfusion injury (Farooq et al). 2001;34:555-8

Antiplasmins

Plasma levels of plasmin-antiplasmin-complexes are predictive for small abdominal aortic aneurysms expanding to operation-recommendable sizes (Lindholt et al). 2001;34:611-15

Aorta

Endoluminal smooth muscle cell seeding limits intimal hyperplasia (Gomes et al). 2001;34:707-15

Endovascular repair of bleeding aortoenteric fistulas: a 5-year experience (Burks et al). 2001;34:1055-9

Impact of aortoiliac tortuosity on endovascular repair of abdominal aortic aneurysms: evaluation of 3D computer-based assessment (Wolf et al). 2001;34:594-9

Simultaneous analysis of 1176 gene products in normal human aorta and abdominal aortic aneurysms using a membrane-based complementary DNA expression array (Tung et al). 2001;34:143-50

Simultaneous aortic replacement and renal artery revascularization: the influence of preoperative renal function on early risk and late outcome (Tsoukas et al). 2001;34:1041-9

Aorta, abdominal

Distal aortic diameter and peripheral arterial occlusive disease (Bosch et al). 2001;34:1085-9

Impact of exclusion criteria on patient selection for endovascular abdominal aortic aneurysm repair (Carpenter et al). 2001;34:1050-4

Aorta, thoracic

Anatomical considerations in the surgical management of blunt thoracic aortic injury (Carter et al). 2001;34:628-33

Transluminal placement of endovascular stent-grafts for the treatment of type A aortic dissection with an entry tear in the descending thoracic aorta (Kato et al). 2001;34:1023-8

Traumatic rupture of the thoracic aorta: cohort study and systematic review (Jahromi et al). 2001;34:1029-34

Aortic aneurysm

Aortic Slimgraft: ex vivo and in vivo study (Kerr et al). 2001;34:350-2

Infected aortic aneurysms: aggressive presentation, complicated early outcome, but durable result (Oderich et al). 2001;34:900-8

Aortic aneurysm, abdominal

Abdominal aortic aneurysm in women (Lederle et al). 2001;34:122-6

Ancillary techniques to facilitate endovascular repair of aortic aneurysms (Yano et al). 2001;34:69-75

Aneurysmal expansion of the visceral patch after thoracoabdominal aortic replacement: an argument for limiting patch size? (Dardik et al). 2001;34:405-10

Arterial dimensions in the lower extremities of patients with abdominal aortic aneurysms-no indications of a generalized dilating diathesis (Sandgren et al). 2001;34:1079-84

Association of intraluminal thrombus in abdominal aortic aneurysm with local hypoxia and wall weakening (Vorp et al). 2001;34:291-9

Complications of lumbar drainage after thoracoabdominal aortic aneurysm repair (Weaver et al). 2001;34:623-7

Dartmouth Atlas of Vascular Health Care review: impact of hospital volume, surgeon volume, and training on outcome (Huber and Seeger). 2001;34:748-50 (Case rep.)

Early experience with the bifurcated Excluder endoprosthesis for treatment of the abdominal aortic aneurysm (Bush et al). 2001;34:497-502

Embolization of type II endoleaks after aortic stent-graft implantation: technique and immediate results (Haulon et al). 2001;34:600-5

Endoleak after endovascular repair of abdominal aortic aneurysm (Chuter et al). 2001;34:98-105

Endotension after endovascular aneurysm repair: the Ancure experience (Meier et al). 2001;34:421-7

Endovascular repair of para-anastomotic aneurysms of the aorta and iliac arteries: preferred treatment for a complex problem (Morrissey et al). 2001;34:503-12

Exclusion of accessory renal arteries during endovascular repair of abdominal aortic aneurysms (Aquino et al). 2001;34:878-84

The expression and localization of membrane type-1 matrix metalloproteinase in human abdominal aortic aneurysms (Nollendorfs et al). 2001;34:316-22

The Food and Drug Administration approval of endovascular grafts for abdominal aortic aneurysm: an 18-month retrospective (Sapirstein et al). 2001;34:180-3 (Editorial)

Genetic similarity in inflammatory and degenerative abdominal aortic aneurysms: a study of human leukocyte antigen class II disease risk genes (Rasmussen et al). 2001;34:84-9

Identification and implications of transgraft microleaks after endovascular repair of aortic aneurysms (Matsumura et al). 2001;34:190-7

Impact of aortoiliac tortuosity on endovascular repair of abdominal aortic aneurysms: evaluation of 3D computer-based assessment (Wolf et al). 2001;34:594-9

Impact of endovascular repair on open aortic aneurysm surgical training (Arko et al). 2001;34:885-91

Indicators of infection with Chlamydia pneumoniae are associated with expansion of abdominal aortic aneurysms (Lindholt et al). 2001;34:212-15

Influence of diagnostic criteria on the prevalence of abdominal aortic aneurysm (Wanhainen et al). 2001;34:229-35

Intentional internal iliac artery occlusion to facilitate endovascular repair of aortoiliac aneurysms (Yano et al). 2001;34:204-11

Lararoscopy-assisted aneurysm resection as a minimal invasive alternative in patients unsuitable for endovascular surgery (Kolvenbach et al). 2001;34:216-21

Lifeline Registry: collaborative evaluation of endovascular aneurysm repair (White et al). 2001;34:1139-46

Long-term results of cryopreserved arterial allograft reconstruction in infected prosthetic grafts and mycotic aneurysms of the abdominal aorta (Lesèche et al). 2001;34:616-22

Minimal incision aortic surgery (Turnipseed et al). 2001;34: 47-53
An operative method for surgical revision of a late failure after endovascular repair of an abdominal aortic aneurysm (Anwar et al). 2001;34:357-9 (Case rep.)
The outcome in the United States after thoracoabdominal aortic aneurysm repair, renal artery bypass, and mesenteric revascularization (Derrow et al). 2001;34:54-61
Overt colon ischemia after endovascular aneurysm repair: the importance of microembolization as an etiology (Dadian et al). 2001;34:986-96
Pathogenesis of abdominal aortic aneurysms: a multidisciplinary research program supported by the National Heart, Lung, and Blood Institute (Wassef et al). 2001;34:730-8
Plasma levels of plasmin-antiplasmin-complexes are predictive for small abdominal aortic aneurysms expanding to operation-recommendable sizes (Lindholt et al). 2001;34:611-15
Pressure measurements in closed aneurysmal sac during abdominal aortic aneurysm resection (Hans et al). 2001; 34:519-25
Regarding "High prevalence of mild hyperhomocysteinemia in patients with abdominal aortic aneurysm" (Lorenzi et al) (Letter); (Brunelli) (Reply). 2001;34:184
Regarding "Identification and implications of transgraft microleaks after endovascular repair of aortic aneurysms" (May). 2001;34:369-70
Regarding "Use of doxycycline to decrease the growth rate of abdominal aortic aneurysms: a randomized, double-blind, placebo-controlled pilot study" (Baxter). 2001;34:757-8
Ruptured abdominal aortic aneurysms: the excessive mortality rate of conventional repair (Noel et al). 2001;34:41-6
Serious complications that require surgical interventions after endoluminal stent-graft placement for the treatment of infrarenal aortic aneurysms (Schlensak et al). 2001;34: 198-203
Simple geometric characteristics fail to reliably predict abdominal aortic aneurysm wall stresses (Hua and Mower). 2001;34:308-15
Simultaneous analysis of 1176 gene products in normal human aorta and abdominal aortic aneurysms using a membrane-based complementary DNA expression array (Tung et al). 2001;34:143-50
A technique for adequate coverage of the proximal suture line during abdominal aortic aneurysm repair (Kaza et al). 2001;34:367-8 (Tech. note)
Unique cause of duodenal obstruction by an abdominal aortic aneurysm (Bhama et al). 2001;34:1130-2 (Case rep.)
Use of doxycycline to decrease the growth rate of abdominal aortic aneurysms: a randomized, double-blind, placebo-controlled pilot study (Mosorin et al). 2001;34:606-10

Aortic aneurysm, thoracic

Ancillary techniques to facilitate endovascular repair of aortic aneurysms (Yano et al). 2001;34:69-75
Aneurysmal degeneration of the aorta after stent-graft repair of acute aortic dissection (Kato et al). 2001;34:513-18
Aneurysmal expansion of the visceral patch after thoracoabdominal aortic replacement: an argument for limiting patch size? (Dardik et al). 2001;34:405-10
Complications of lumbar drainage after thoracoabdominal aortic aneurysm repair (Weaver et al). 2001;34:623-7
Endovascular repair of para-anastomotic aneurysms of the aorta and iliac arteries: preferred treatment for a complex problem (Morrissey et al). 2001;34:503-12
Identification of the critical spinal arteries with F wave-polysynaptic response complex monitoring: an experimental study (Iyori et al). 2001;34:330-6
Impact of endovascular repair on open aortic aneurysm surgical training (Arko et al). 2001;34:885-91
The outcome in the United States after thoracoabdominal aortic aneurysm repair, renal artery bypass, and mesenteric revascularization (Derrow et al). 2001;34:54-61
Risk of spinal cord ischemia after endograft repair of thoracic aortic aneurysms (Gravereaux et al). 2001;34:997-1003
Thoracic and thoracoabdominal aortic aneurysm repair: use of evoked potential monitoring in 118 patients (Dongen et al). 2001;34:1035-40

Aortic rupture

Anatomical considerations in the surgical management of blunt thoracic aortic injury (Carter et al). 2001;34:628-33
Spontaneous aortic dissection and rupture in a patient with neurofibromatosis (Chew et al). 2001;34:364-6 (Case rep.)
Transluminal placement of endovascular stent-grafts for the treatment of type A aortic dissection with an entry tear in the descending thoracic aorta (Kato et al). 2001;34: 1023-8

Apolipoproteins

Apolipoprotein J inhibits the migration, adhesion, and proliferation of vascular smooth muscle cells (Sivamurthy et al). 2001;34:716-23
Dramatic remodeling of advanced atherosclerotic plaques of the apolipoprotein E-deficient mouse in a novel transplantation model (Reis et al). 2001;34:541-7

Apoptosis

An adenosine A2A agonist, ATL-146e, reduces paralysis and apoptosis during rabbit spinal cord reperfusion (Cassada et al). 2001;34:482-8
Synopsis on cellular senescence and apoptosis (Raffetto et al). 2001;34:173-7

Arterial occlusive diseases

Combined therapeutic approach of intra-arterial thrombolysis and carotid endarterectomy in selected patients with acute thrombotic carotid occlusion (Uno et al). 2001;34:532-40
Cost-effectiveness of oral anticoagulants versus aspirin in patients after infrainguinal bypass grafting surgery (Oostenbrink et al). 2001;34:254-62
Day-to-day variability of transcutaneous oxygen tension in patients with diabetes mellitus and peripheral arterial occlusive disease (Jörneskog et al). 2001;34:277-82
Diagnosis and treatment of paradoxical embolus (Travis et al). 2001;34:860-5
Distal aortic diameter and peripheral arterial occlusive disease (Bosch et al). 2001;34:1085-9
Duplex scanning allows selective use of arteriography in the management of patients with severe lower leg arterial disease (Koelemay et al). 2001;34:661-7
External iliac and common iliac artery angioplasty and stenting in men and women (Timaran et al). 2001;34:440-6
Hemodynamic conditions at the carotid bifurcation during protective common carotid occlusion (Ouriel et al). 2001;34: 577-80
Infrainquinal arterial reconstructions in patients with aortoiliac occlusive disease: the influence of iliac stenting (Timaran et al). 2001;34:971-8
Minimal incision aortic surgery (Turnipseed et al). 2001;34: 47-53
Percutaneous transluminal angioplasty of the femoropopliteal

arteries in limbs with chronic critical lower limb ischemia (Löfberg et al). 2001;34:114-21
Remote superficial femoral artery endarterectomy: multicenter medium-term results (Rosenthal et al). 2001;34:428-33
Safety and efficacy of limited-dose tissue plasminogen activator in acute vascular occlusion (Shortell et al). 2001;34:854-9

Arteriography; *see* Angiography

Arteriovenous anastomosis
Endovascular repair of para-anastomotic aneurysms of the aorta and iliac arteries: preferred treatment for a complex problem (Morrissey et al). 2001;34:503-12

Arteriovenous fistula
Impact of reintervention for failing upper-extremity arteriovenous autogenous access for hemodialysis (Hingorani et al). 2001;34:1004-9
Impact of secondary procedures in autogenous arteriovenous fistula maturation and maintenance (Berman and Gentile). 2001;34:866-71
Remodeling and suppression of intimal hyperplasia of vascular grafts with a distal arteriovenous fistula in a rat model (Qin et al). 2001;34:701-6
Vascular access survival and incidence of revisions: a comparison of prosthetic grafts, simple autogenous fistulas, and venous transposition fistulas from the United States Renal Data System Dialysis Morbidity and Mortality Study (Gibson et al). 2001;34:694-700

Arteriovenous malformations
Regarding "Surgical treatment of venous malformation in Kippel-Trénaunay syndrome" (Dimikakos and Portinos) (Letter); (Noel and Gloviczki) (Reply). 2001;34:573-4

Aspartic endopeptidases
Inhibition of neointima formation in an organ culture of human saphenous vein: a comparison of dual endothelin-converting enzyme/neutral endopeptidase and selective neutral endopeptidase inhibition (Porter et al). 2001;34:548-54

Aspirin
Cost-effectiveness of oral anticoagulants versus aspirin in patients after infrainguinal bypass grafting surgery (Oostenbrink et al). 2001;34:254-62

Atherosclerosis
Dramatic remodeling of advanced atherosclerotic plaques of the apolipoprotein E-deficient mouse in a novel transplantation model (Reis et al). 2001;34:541-7

Authorship
Authorship revisited. 2001;34:1148

B

Bandages
A clinical comparison of pneumatic compression devices: the basis for selection (Proctor et al). 2001;34:459-64
Home use of impulse compression of the foot and compression stockings in the treatment of chronic venous insufficiency (Arcelus et al). 2001;34:805-11

Bedside procedures; *see* Point-of-care systems

Behçet's syndrome
Behçet's disease: endovascular management of a ruptured peripheral arterial aneurysm (Kasirajan et al). 2001;34:1127-9 (Case rep.)

Bibliometrics
Contribution of the Southern Association for Vascular Surgery to the scientific literature (Huber and Seeger). 2001;34:393-6

Biography
The complex life of Rudolph Matas (Ochsner). 2001;34:38387-392
Rudolph Matas-how I remember him: an interview with Dr Michael E. DeBakey (Gregory). 2001;34:384-6

Blood flow velocity
The effects of extremely low shear stress on cellular proliferation and neointimal thickening in the failing bypass graft (Meyerson et al). 2001;34:90-7. Correction 2001;34:580
Influence of poststenotic collateral pressure on blood flow velocities within high-grade carotid artery stenosis: differences between morphologic and functional measurements (Zachrisson et al). 2001;34:263-8
Pressure measurements in closed aneurysmal sac during abdominal aortic aneurysm resection (Hans et al). 2001;34:519-25

Blood gas monitoring, transcutaneous
Association of intraluminal thrombus in abdominal aortic aneurysm with local hypoxia and wall weakening (Vorp et al). 2001;34:291-9
Day-to-day variability of transcutaneous oxygen tension in patients with diabetes mellitus and peripheral arterial occlusive disease (Jörneskog et al). 2001;34:277-82

Blood vessel prosthesis
Aneurysmal expansion of the visceral patch after thoracoabdominal aortic replacement: an argument for limiting patch size? (Dardik et al). 2001;34:405-10
Detection of isolated hook fractures 36 months after implantation of the Ancure endograft: a cautionary note (Najibi et al). 2001;34:353-6 (Case rep.)
Dual cell seeding and the use of zymogen tissue plasminogen activator to improve cell retention on polytetrafluoroethylene grafts (Yu et al). 2001;34:337-43
Early experience with the bifurcated Excluder endoprosthesis for treatment of the abdominal aortic aneurysm (Bush et al). 2001;34:497-502
Embolization of type II endoleaks after aortic stent-graft implantation: technique and immediate results (Haulon et al). 2001;34:600-5
Endoleak after endovascular repair of abdominal aortic aneurysm (Chuter et al). 2001;34:98-105
Expanded application of in situ replacement for prosthetic graft infection (Bandyk et al). 2001;34:411-20
The Food and Drug Administration approval of endovascular grafts for abdominal aortic aneurysm: an 18-month retrospective (Sapirstein et al). 2001;34:180-3 (Editorial)
Impact of endovascular repair on open aortic aneurysm surgical training (Arko et al). 2001;34:885-91
Impact of exclusion criteria on patient selection for endovascular abdominal aortic aneurysm repair (Carpenter et al). 2001;34:1050-4
Is prosthetic renal artery reconstruction a durable procedure? An analysis of 389 bypass grafts (Paty et al). 2001;34:127-32
Lifeline Registry: collaborative evaluation of endovascular aneurysm repair (White et al). 2001;34:1139-46
Long-term results of cryopreserved arterial allograft reconstruction in infected prosthetic grafts and mycotic aneurysms of the abdominal aorta (Lesèche et al). 2001;34:616-22
Risk of spinal cord ischemia after endograft repair of thoracic aortic aneurysms (Gravereaux et al). 2001;34:997-1003

Vascular access survival and incidence of revisions: a comparison of prosthetic grafts, simple autogenous fistulas, and venous transposition fistulas from the United States Renal Data System Dialysis Morbidity and Mortality Study (Gibson et al). 2001;34:694-700

Book reviews

Book reviews. 2001;34:187-8, 378-80, 576, 762-4, 953, 1137-8

Brachiocephalic trunk

Aneurysms of the innominate artery: surgical treatment of 27 patients (Kieffer et al). 2001;34:222-8

C

Candida albicans

Candida infection associated with a solitary mycotic common iliac artery aneurysm (Woodrum et al). 2001;34:166-8 (Case rep.)

Carotid arteries

Extracranial carotid aneurysm in Takayasu's arteritis (Tabata et al). 2001;34:739-42 (Case rep.)

Carotid stenosis

Comparative study of operative treatment and percutaneous transluminal angioplasty/stenting for recurrent carotid disease (AbuRahma et al). 2001;34:831-8

Comparison of color-flow Doppler scanning, power Doppler scanning, and frequency shift for assessment of carotid artery stenosis (Müller et al). 2001;34:1090-5

Eversion technique increases the risk for post-carotid endarterectomy hypertension (Mehta et al). 2001;34:839-45

Hemodynamic conditions at the carotid bifurcation during protective common carotid occlusion (Ouriel et al). 2001;34:577-80

Influence of poststenotic collateral pressure on blood flow velocities within high-grade carotid artery stenosis: differences between morphologic and functional measurements (Zachrisson et al). 2001;34:263-8

Perfusion-weighted magnetic resonance imaging in patients with carotid artery disease before and after carotid endarterectomy (Doerfler et al). 2001;34:587-93

Reoperation for recurrent carotid stenosis: early results and late outcome in 199 patients (O'Hara et al). 2001;34:5-12

Case reports

Case reports. 2001;34:156-65, 353-66, 559-64, 739-50, 939-46, 1071-8-1130-2

Catheterization

Surgical intervention for complications caused by femoral artery catheterization in pediatric patients (Lin et al). 2001;34:1119-22

Catheters, indwelling

Multicenter evaluation of a polyurethaneurea vascular access graft as compared with the expanded polytetrafluoroethylene vascular access graft in hemodialysis applications (Glickman et al). 2001;34:465-73

Cell adhesion molecules

Monocyte adhesion to human vein grafts: a marker for occult intraoperative injury? (Eslami et al). 2001;34:923-9

Cell aging

Synopsis on cellular senescence and apoptosis (Raffetto et al). 2001;34:173-7

Cell division

Apolipoprotein J inhibits the migration, adhesion, and proliferation of vascular smooth muscle cells (Sivamurthy et al). 2001;34:716-23

Cell migration inhibition

Apolipoprotein J inhibits the migration, adhesion, and proliferation of vascular smooth muscle cells (Sivamurthy et al). 2001;34:716-23

Cerebrovascular accident

Combined therapeutic approach of intra-arterial thrombolysis and carotid endarterectomy in selected patients with acute thrombotic carotid occlusion (Uno et al). 2001;34:532-40

Certification

Outcome assessment: a new approach to the maintenance of board certification in vascular surgery (Hertzer). 2001;34:371-3

Child

Efficacy and durability of autogenous saphenous vein conduits for lower extremity arterial reconstructions in preadolescent children (Cardneau et al). 2001;34:34-40

Long-term follow-up of Greenfield inferior vena cava filter placement in children (Cahn et al). 2001;34:820-5

Surgical intervention for complications caused by femoral artery catheterization in pediatric patients (Lin et al). 2001;34:1119-22

Chlamydia infections

Indicators of infection with Chlamydia pneumoniae are associated with expansion of abdominal aortic aneurysms (Lindholt et al). 2001;34:212-15

Chyloperitoneum

Treatment of symptomatic primary chylous disorders (Noel et al). 2001;34:785-91

Circulation

Presidential address: a brief history of arterial blood flow-from Harvey and Newton to computational analysis (Archie). 2001;34:398-404

Clinical protocols

Evaluation of a screening protocol to exclude the diagnosis of deep venous thrombosis among emergency department patients (Dryjski et al). 2001;34:1010-5

Clinical trials

Influence of NASCET/ACAS trial eligibility on outcome after carotid endarterectomy (Lepore et al). 2001;34:581-6

Colitis, ischemic

Colonic necrosis subsequent to catheter-directed thrombin embolization of the inferior mesenteric artery via the superior mesenteric artery: a complication in the management of a type II endoleak (Bush et al). 2001;34:1071-8 (Case rep.)

Overt colon ischemia after endovascular aneurysm repair: the importance of microembolization as an etiology (Dadian et al). 2001;34:986-96

Collagen

MMP9 production by human monocyte-derived macrophages is decreased on polymerized type I collagen (Lepidi et al). 2001;34:1111-8

Compartment syndromes

Abdominal compartment syndrome after mesenteric revascularization (Sullivan et al). 2001;34:559-61 (Case rep.)

Compression stockings; ***see*** **Bandages**

Constriction, pathologic

Forearm arteries entrapment syndrome: a rare cause of recurrent angioaccess thrombosis (Chemla et al). 2001;34:743-7 (Case rep.)

Corrections

The effects of extremely low shear stress on cellular proliferation and neointimal thickening in the failing bypass graft (Meyerson et al) (2001;34:90-97). 2001;34:580

Correspondence; *see* Letters to the Editor
Cross-sectional studies
Do varicose veins affect quality of life? Results of an international population-based study (Kurz et al). 2001;34:641-8

D

Danazol
Danazol and limb-threatening arterial thrombosis: two case reports (Alvarado et al). 2001;34:1123-8 (Case rep.)
Delivery of health care
Impact of Medicare denials on noninvasive vascular diagnostic testing (Passman et al). 2001;34:846-53
Diabetes mellitus
Day-to-day variability of transcutaneous oxygen tension in patients with diabetes mellitus and peripheral arterial occlusive disease (Jörneskog et al). 2001;34:277-82
Diagnostic techniques and procedures
Influence of diagnostic criteria on the prevalence of abdominal aortic aneurysm (Wanhainen et al). 2001;34:229-35
Diagnostic tests
Impact of Medicare denials on noninvasive vascular diagnostic testing (Passman et al). 2001;34:846-53
Disease models, animal
Dramatic remodeling of advanced atherosclerotic plaques of the apolipoprotein E-deficient mouse in a novel transplantation model (Reis et al). 2001;34:541-7
Disease susceptibility
Arterial dimensions in the lower extremities of patients with abdominal aortic aneurysms-no indications of a generalized dilating diathesis (Sandgren et al). 2001;34:1079-84
Doppler scanning
Comparison of color-flow Doppler scanning, power Doppler scanning, and frequency shift for assessment of carotid artery stenosis (Müller et al). 2001;34:1090-5
Doxycycline
Regarding "Use of doxycycline to decrease the growth rate of abdominal aortic aneurysms: a randomized, double-blind, placebo-controlled pilot study" (Baxter). 2001;34:757-8
Use of doxycycline to decrease the growth rate of abdominal aortic aneurysms: a randomized, double-blind, placebo-controlled pilot study (Mosorin et al). 2001;34:606-10
Drainage
Complications of lumbar drainage after thoracoabdominal aortic aneurysm repair (Weaver et al). 2001;34:623-7
Duodenal obstruction
Unique cause of duodenal obstruction by an abdominal aortic aneurysm (Bhama et al). 2001;34:1130-2 (Case rep.)

E

Eastern Vascular Society
Presidential address: Towards competence in vascular care (Ricotta). 2001;34:955-61
Editorial policy
Authorship revisited. 2001;34:1048
Editorials
Editorials. 2001;34:180-3
Embolism
Determinants of carotid microembolization (Golledge et al). 2001;34:1060-4
Overt colon ischemia after endovascular aneurysm repair: the importance of microembolization as an etiology (Dadian et al). 2001;34:986-96
Embolism, paradoxical
Diagnosis and treatment of paradoxical embolus (Travis et al). 2001;34:860-5
Embolization, therapeutic
Colonic necrosis subsequent to catheter-directed thrombin embolization of the inferior mesenteric artery via the superior mesenteric artery: a complication in the management of a type II endoleak (Bush et al). 2001;34:1071-8 (Case rep.)
Embolization of type II endoleaks after aortic stent-graft implantation: technique and immediate results (Haulon et al). 2001;34:600-5
Intentional internal iliac artery occlusion to facilitate endovascular repair of aortoiliac aneurysms (Yano et al). 2001;34:204-11
Sloughing of the scrotal skin and impotence subsequent to bilateral hypogastric artery embolization for endovascular aortoiliac aneurysm repair (Lin et al). 2001;34:748-50 (Case rep.)
Emergency service, hospital
Evaluation of a screening protocol to exclude the diagnosis of deep venous thrombosis among emergency department patients (Dryjski et al). 2001;34:1010-5
End-stage renal disease; *see* Kidney failure, chronic
Endarterectomy
Overt colon ischemia after endovascular aneurysm repair: the importance of microembolization as an etiology (Dadian et al). 2001;34:986-96
Remote superficial femoral artery endarterectomy: multicenter medium-term results (Rosenthal et al). 2001;34:428-33
Results of endovascular superficial femoral endarterectomy (Nelson et al). 2001;34:526-31
Endarterectomy, carotid
Carotid endarterectomy: a champion turns fifty (Friedman). 2001;34:569-71
Combined therapeutic approach of intra-arterial thrombolysis and carotid endarterectomy in selected patients with acute thrombotic carotid occlusion (Uno et al). 2001;34:532-40
Comparative study of operative treatment and percutaneous transluminal angioplasty/stenting for recurrent carotid disease (AbuRahma et al). 2001;34:831-8
Dartmouth Atlas of Vascular Health Care review: impact of hospital volume, surgeon volume, and training on outcome (Huber and Seeger). 2001;34:748-50 (Case rep.)
Determinants of carotid microembolization (Golledge et al). 2001;34:1060-4
Durability of eversion carotid endarterectomy: comparison with primary closure and carotid patch angioplasty (Katras et al). 2001;34:453-8
Eversion technique increases the risk for post-carotid endarterectomy hypertension (Mehta et al). 2001;34:839-45
Folate supplementation inhibits intimal hyperplasia induced by a high-homocysteine diet in a rat carotid endarterectomy model (Smith et al). 2001;34:474-81
Hemodynamic conditions at the carotid bifurcation during protective common carotid occlusion (Ouriel et al). 2001;34:577-80
Influence of NASCET/ACAS trial eligibility on outcome after carotid endarterectomy (Lepore et al). 2001;34:581-6
Perfusion-weighted magnetic resonance imaging in patients with carotid artery disease before and after carotid endarterectomy (Doerfler et al). 2001;34:587-93
Regarding: "Timing of postcarotid complications: a guide to

safe discharge planning" (Ricotta). 2001;34:178-9 (Invited comment)
Reoperation for recurrent carotid stenosis: early results and late outcome in 199 patients (O'Hara et al). 2001;34:5-12
Saratin, an inhibitor of von Willebrand factor-dependent platelet adhesion, decreases platelet aggregation and intimal hyperplasia in a rat carotid endarterectomy model (Cruz et al). 2001;34:724-9
Timing of postcarotid complications: a guide to safe discharge planning (Sheehan et al). 2001;34:13-16

Endarteritis
Femoral artery infections associated with percutaneous arterial closure devices (Johanning et al). 2001;34:983-5

Endoscopy
Endoscopically assisted in situ lower extremity bypass graft: a preliminary report of a new minimally invasive technique (Suggs et al). 2001;34:668-72

Endothelin-1
Inhibition of neointima formation in an organ culture of human saphenous vein: a comparison of dual endothelin-converting enzyme/neutral endopeptidase and selective neutral endopeptidase inhibition (Porter et al). 2001;34:548-54

Endothelium, vascular
Acute arterial thrombosis causes endothelial dysfunction: a new paradigm for thrombolytic therapy (Kashyap et al). 2001;34:323-9

Endothelium-derived relaxing factor
Administration of adenoviral vectors induces gangrene in acutely ischemic rat hindlimbs: role of capsid protein-induced inflammation (Brevetti et al). 2001;34:489-96

Enoxaparin
Enoxaparin treatment in high-risk trauma patients limits the utility of surveillance venous duplex scanning (Schwarcz et al). 2001;34:447-52

Enzyme inhibitors
Inhibition of neointima formation in an organ culture of human saphenous vein: a comparison of dual endothelin-converting enzyme/neutral endopeptidase and selective neutral endopeptidase inhibition (Porter et al). 2001;34:548-54

Enzyme precursors
Dual cell seeding and the use of zymogen tissue plasminogen activator to improve cell retention on polytetrafluoroethylene grafts (Yu et al). 2001;34:337-43

Epidemiology
Influence of diagnostic criteria on the prevalence of abdominal aortic aneurysm (Wanhainen et al). 2001;34:229-35

Equipment design
A clinical comparison of pneumatic compression devices: the basis for selection (Proctor et al). 2001;34:459-64
Impact of exclusion criteria on patient selection for endovascular abdominal aortic aneurysm repair (Carpenter et al). 2001;34:1050-4

Ethics, medical
Consent for an intraoperative video record (Jones and McCullough). 2001;34:1133-4
Religiously based treatment refusal (Jones and McCullough). 2001;34:952

Evoked potentials
Identification of the critical spinal arteries with F wave-polysynaptic response complex monitoring: an experimental study (Iyori et al). 2001;34:330-6
Thoracic and thoracoabdominal aortic aneurysm repair: use of evoked potential monitoring in 118 patients (Dongen et al). 2001;34:1035-40

F

Femoral artery
Arterial dimensions in the lower extremities of patients with abdominal aortic aneurysms-no indications of a generalized dilating diathesis (Sandgren et al). 2001;34:1079-84
Behçet's disease: endovascular management of a ruptured peripheral arterial aneurysm (Kasirajan et al). 2001;34:1127-9 (Case rep.)
Femoral artery infections associated with percutaneous arterial closure devices (Johanning et al). 2001;34:983-5
Infrainguinal revascularizations in octogenarians and septuagenarians (Chang and Stein). 2001;34:133-8
Percutaneous transluminal angioplasty of the femoropopliteal arteries in limbs with chronic critical lower limb ischemia (Lötberg et al). 2001;34:114-21
Postoperative and amputation-free survival outcomes after femorodistal bypass grafting surgery: findings from the Department of Veterans Affairs National Surgical Quality Improvement Program (Feinglass et al). 2001;34:283-90
Remote superficial femoral artery endarterectomy: multicenter medium-term results (Rosenthal et al). 2001;34:428-33
Results of endovascular superficial femoral endarterectomy (Nelson et al). 2001;34:526-31
Surgical intervention for complications caused by femoral artery catheterization in pediatric patients (Lin et al). 2001;34:1119-22
Topically applied tissue factor pathway inhibitor reducing intimal thickness of small arterial autografts in rabbits (Sun et al). 2001;34:151-5

Femoral vein
Late recurrent saphenofemoral junction reflux after ligation and stripping of the greater saphenous vein (Fischer et al). 2001;34:236-40
Nonsaphenous superficial vein reflux (Labropoulos et al). 2001;34:872-8
Regarding "Does surgical correction of the superficial femoral vein valve change the course of varicose disease?" (Guarnera) (Letter); (Lurie) (Reply). 2001;34:374-5

Fibroblast growth factor, basic
Functional outcome of new blood vessel growth into ischemic skeletal muscle (Lee et al). 2001;34:1096-1102

Fibula
Tibia fracture after fibula resection for distal peroneal bypass (Kahn et al). 2001;34:979-82

Folic acid
Folate supplementation inhibits intimal hyperplasia induced by a high-homocysteine diet in a rat carotid endarterectomy model (Smith et al). 2001;34:474-81

Forearm
Forearm arteries entrapment syndrome: a rare cause of recurrent angioaccess thrombosis (Chemla et al). 2001;34:743-7 (Case rep.)

G

Gastric fistula
Endovascular repair of bleeding aortoenteric fistulas: a 5-year experience (Burks et al). 2001;34:1055-9

Gelatinase A
The expression and localization of membrane type-1 matrix

metalloproteinase in human abdominal aortic aneurysms (Nollendorfs et al). 2001;34:316-22
Role of matrix metalloproteinases 1, 2, and 9 and tissue inhibitor of matrix metalloproteinase-1 in chronic venous insufficiency (Saito et al). 2001;34:930-8

Gelatinase B
MMP9 production by human monocyte-derived macrophages is decreased on polymerized type I collagen (Lepidi et al). 2001;34:1111-8
Nitric oxide inhibition increases matrix metalloproteinase-9 expression by rat aortic smooth muscle cells in vitro (Upchurch et al). 2001;34:76-83
Role of matrix metalloproteinases 1, 2, and 9 and tissue inhibitor of matrix metalloproteinase-1 in chronic venous insufficiency (Saito et al). 2001;34:930-8

Gene expression
Altered ubiquitin / proteasome expression in anastomotic intimal hyperplasia (Stone et al). 2001;34:1016-22
Simultaneous analysis of 1176 gene products in normal human aorta and abdominal aortic aneurysms using a membrane-based complementary DNA expression array (Tung et al). 2001;34:143-50

Gene transfer
Adenovirus-mediated gene transfer of human inducible nitric oxide synthase in porcine vein grafts inhibits intimal hyperplasia (Kibbe et al). 2001;34:156-65
Administration of adenoviral vectors induces gangrene in acutely ischemic rat hindlimbs: role of capsid protein-induced inflammation (Brevetti et al). 2001;34:489-96

Genes, HMC class II
Genetic similarity in inflammatory and degenerative abdominal aortic aneurysms: a study of human leukocyte antigen class II disease risk genes (Rasmussen et al). 2001;34:84-9

Genotype
Genetic similarity in inflammatory and degenerative abdominal aortic aneurysms: a study of human leukocyte antigen class II disease risk genes (Rasmussen et al). 2001;34:84-9

Graft occlusion, vascular
Durability of eversion carotid endarterectomy: comparison with primary closure and carotid patch angioplasty (Katras et al). 2001;34:453-8
The effects of extremely low shear stress on cellular proliferation and neointimal thickening in the failing bypass graft (Meyerson et al). 2001;34:90-7. Correction 2001; 34:580
Intraoperative flow predicts the development of stenosis in infrainguinal vein grafts (Ihlberg et al). 2001;34:269-76
Monocyte adhesion to human vein grafts: a marker for occult intraoperative injury? (Eslami et al). 2001;34:923-9
Reoperation for recurrent carotid stenosis: early results and late outcome in 199 patients (O'Hara et al). 2001;34:5-12

Graft patency
Efficacy and durability of autogenous saphenous vein conduits for lower extremity arterial reconstructions in preadolescent children (Cardneau et al). 2001;34:34-40
Endotension after aneurysm repair: the Ancure experience (Meier et al). 2001;34:421-7
Impact of reintervention for failing upper-extremity arteriovenous autogenous access for hemodialysis (Hingorani et al). 2001;34:1004-9
Impact of secondary procedures in autogenous arteriovenous fistula maturation and maintenance (Berman and Gentile). 2001;34:866-71
Intraoperative flow predicts the development of stenosis in infrainguinal vein grafts (Ihlberg et al). 2001;34:269-76
Is prosthetic renal artery reconstruction a durable procedure? An analysis of 389 bypass grafts (Paty et al). 2001;34:127-32
Long-term results justify autogenous infrainguinal bypass grafting in patients with end-stage renal failure (Meyerson et al). 2001;34:27-33
Remodeling and suppression of intimal hyperplasia of vascular grafts with a distal arteriovenous fistula in a rat model (Qin et al). 2001;34:701-6
Results of endovascular superficial femoral endarterectomy (Nelson et al). 2001;34:526-31
Vascular access survival and incidence of revisions: a comparison of prosthetic grafts, simple autogenous fistulas, and venous transposition fistulas from the United States Renal Data System Dialysis Morbidity and Mortality Study (Gibson et al). 2001;34:694-700

Graft survival
The durability of endoscopic saphenous vein grafts: a 5-year observational study (Jordan et al). 2001;34:434-9
Expanded application of in situ replacement for prosthetic graft infection (Bandyk et al). 2001;34:411-20

H

Haimovici, Henry
A tribute to Henry Haimovici, September 7, 1907-July 10, 2001 (Veith and Ascher). 2001;34:1135-6 (Obituary)

Hematuria
The nutcracker syndrome: its role in the pelvic venous disorders (Scultetus et al). 2001;34:812-19

Hemodialysis
Impact of reintervention for failing upper-extremity arteriovenous autogenous access for hemodialysis (Hingorani et al). 2001;34:1004-9
Impact of secondary procedures in autogenous arteriovenous fistula maturation and maintenance (Berman and Gentile). 2001;34:866-71
Multicenter evaluation of a polyurethaneurea vascular access graft as compared with the expanded polytetrafluoroethylene vascular access graft in hemodialysis applications (Glickman et al). 2001;34:465-73
Use of cryopreserved cadaveric vein allograft for hemodialysis access precludes kidney transplantation because of allosensitization (Benedetto et al). 2001;34:139-42
Vascular access survival and incidence of revisions: a comparison of prosthetic grafts, simple autogenous fistulas, and venous transposition fistulas from the United States Renal Data System Dialysis Morbidity and Mortality Study (Gibson et al). 2001;34:694-700

Hemodynamics
Effects of anastomotic angle on vascular tissue responses at end-to-end arterial grafts (Jackson et al). 2001;34: 300-7
Hemodynamic conditions at the carotid bifurcation during protective common carotid occlusion (Ouriel et al). 2001;34:577-80
Pathogenesis of abdominal aortic aneurysms: a multidisciplinary research program supported by the National Heart, Lung, and Blood Institute (Wassef et al). 2001;34:730-8

Heparin
Lepirudin is a safe and effective anticoagulant for patients with heparin-associated antiplatelet antibodies (Mudaliar et al). 2001;34:17-20

History of medicine
Carotid endarterectomy: a champion turns fifty (Friedman). 2001;34:569-71
The complex life of Rudolph Matas (Ochsner). 2001;34: 38387-392
Presidential address: a brief history of arterial blood flow-from Harvey and Newton to computational analysis (Archie). 2001;34:398-404
Presidential address: a belated obituary (Webster). 2001;34: 826-30
HLA Class II genes; *see* Genes, HMC class II
Home care services
Eligibility for home treatment of deep vein thrombosis: a prospective study in 202 consecutive patients (Schwarz et al). 2001;34:1065-70
Homocysteine
Folate supplementation inhibits intimal hyperplasia induced by a high-homocysteine diet in a rat carotid endarterectomy model (Smith et al). 2001;34:474-81
Homocystinuria
Regarding "High prevalence of mild hyperhomocysteinemia in patients with abdominal aortic aneurysm" (Lorenzi et al) (Letter); (Brunelli) (Reply). 2001;34:184
Hyperplasia
Endoluminal smooth muscle cell seeding limits intimal hyperplasia (Gomes et al). 2001;34:707-15
Folate supplementation inhibits intimal hyperplasia induced by a high-homocysteine diet in a rat carotid endarterectomy model (Smith et al). 2001;34:474-81
Hypertension
Eversion technique increases the risk for post-carotid endarterectomy hypertension (Mehta et al). 2001;34:839-45

I

IgG
PECAM-1/IgG attenuates peroxynitrite-mediated extremity reperfusion injury (Farooq et al). 2001;34:555-8
Iliac aneurysm
Candida infection associated with a solitary mycotic common iliac artery aneurysm (Woodrum et al). 2001;34:166-8 (Case rep.)
Endovascular repair of para-anastomotic aneurysms of the aorta and iliac arteries: preferred treatment for a complex problem (Morrissey et al). 2001;34:503-12
Intentional internal iliac artery occlusion to facilitate endovascular repair of aortoiliac aneurysms (Yano et al). 2001;34:204-11
Internal iliac artery revascularization as an adjunct to endovascular repair of aortoiliac aneurysms (Faries et al). 2001;34:892-9
Overt colon ischemia after endovascular aneurysm repair: the importance of microembolization as an etiology (Dadian et al). 2001;34:986-96
Spontaneous aortic dissection and rupture in a patient with neurofibromatosis (Chew et al). 2001;34:364-6 (Case rep.)
Iliac artery
Diagnosis and endovascular treatment of iliocaval compression syndrome (Hurst et al). 2001;34:106-13
External iliac and common iliac artery angioplasty and stenting in men and women (Timaran et al). 2001;34:440-6
Impact of aortoiliac tortuosity on endovascular repair of abdominal aortic aneurysms: evaluation of 3D computer-based assessment (Wolf et al). 2001;34:594-9
Infrainquinal arterial reconstructions in patients with aortoiliac occlusive disease: the influence of iliac stenting (Timaran et al). 2001;34:971-8
Internal iliac artery revascularization as an adjunct to endovascular repair of aortoiliac aneurysms (Faries et al). 2001; 34:892-9
Iliac vein
Diagnosis and endovascular treatment of iliocaval compression syndrome (Hurst et al). 2001;34:106-13
Reversal of abnormal lymphoscintigraphy after placement of venous stents for correction of associated venous obstruction (Raju et al). 2001;34:779-84
Images and Reflections
Hibiscus Corner (Sumner). 2001;34:759
Mr Lincoln's kitchen (Sumner). 2001;34:954
One leg trilogy (Johnson). 2001;34:572
Immunization
Use of cryopreserved cadaveric vein allograft for hemodialysis access precludes kidney transplantation because of allosensitization (Benedetto et al). 2001;34:139-42
Impotence
Sloughing of the scrotal skin and impotence subsequent to bilateral hypogastric artery embolization for endovascular aortoiliac aneurysm repair (Lin et al). 2001;34:748-50 (Case rep.)
Inflammation
Pathogenesis of abdominal aortic aneurysms: a multidisciplinary research program supported by the National Heart, Lung, and Blood Institute (Wassef et al). 2001;34:730-8
Informed consent
Consent for an intraoperative video record (Jones and McCullough). 2001;34:1133-4
Innominate artery; *see* Brachiocephalic trunk
Intermittent claudication
Natural history of claudication: long-term serial follow-up study of 1244 patients with claudication (Aquino et al). 2001;34:962-71
Interstitial collagenase
The expression and localization of membrane type-1 matrix metalloproteinase in human abdominal aortic aneurysms (Nollendorfs et al). 2001;34:316-22
Role of matrix metalloproteinases 1, 2, and 9 and tissue inhibitor of matrix metalloproteinase-1 in chronic venous insufficiency (Saito et al). 2001;34:930-8
Ischemia
Administration of adenoviral vectors induces gangrene in acutely ischemic rat hindlimbs: role of capsid protein-induced inflammation (Brevetti et al). 2001;34:489-96
Controlled ischemia for complex venous surgery: the technique of choice (Villavicencio et al). 2001;34:947-51 (Tech. note)
Overt colon ischemia after endovascular aneurysm repair: the importance of microembolization as an etiology (Dadian et al). 2001;34:986-96
Ischemic attack, transient
Intra-arterial thrombin injection of an ascending aortic pseudoaneurysm complicated by transient ischemic attack and rescued with systemic abciximab (Lin et al). 2001; 34:939-42 (Case rep.)

J

Jugular veins
Adenovirus-mediated gene transfer of human inducible nitric oxide synthase in porcine vein grafts inhibits intimal hyperplasia (Kibbe et al). 2001;34:156-65
Superior vena cava syndrome: relief with a modified sapheno-

jugular bypass graft (Panneton et al). 2001;34:360-3 (Case rep.)

K

Kidney failure, chronic
Long-term results justify autogenous infrainguinal bypass grafting in patients with end-stage renal failure (Meyerson et al). 2001;34:27-33

L

Laparoscopy
Lararoscopy-assisted aneurysm resection as a minimal invasive alternative in patients unsuitable for endovascular surgery (Kolvenbach et al). 2001;34:216-21

Leg
Duplex scanning allows selective use of arteriography in the management of patients with severe lower leg arterial disease (Koelemay et al). 2001;34:661-7
Endoscopically assisted in situ lower extremity bypass graft: a preliminary report of a new minimally invasive technique (Suggs et al). 2001;34:668-72
Fascial relationships of the short saphenous vein (Caggiati). 2001;34:241-6
Underlying factors influencing the development of the post-thrombotic limb (O'Shaughnessy and FitzGerald). 2001;34:247-53

Leg ulcer
Home use of impulse compression of the foot and compression stockings in the treatment of chronic venous insufficiency (Arcelus et al). 2001;34:805-11
Natural history of claudication: long-term serial follow-up study of 1244 patients with claudication (Aquino et al). 2001;34:962-71

Letters to the Editor
Regarding "Does surgical correction of the superficial femoral vein valve change the course of varicose disease?" (Guarnera) (Letter); (Lurie) (Reply). 2001;34:374-5
Regarding "High prevalence of mild hyperhomocysteinemia in patients with abdominal aortic aneurysm" (Lorenzi et al) (Letter); (Brunelli) (Reply). 2001;34:184
Regarding "Long-term functional outcome of neurogenic thoracic outlet syndrome in surgically and conservatively treated patients" (Molina) (Letter); (Landry and Porter) (Reply). 2001;34:760-1
Regarding "Surgical treatment of venous malformation in Kippel-Trénaunay syndrome" (Dimikakos and Portinos) (Letter); (Noel and Gloviczki) (Reply). 2001;34:573-4

Longitudinal studies
Long-term follow-up of Greenfield inferior vena cava filter placement in children (Cahn et al). 2001;34:820-5
Natural history of claudication: long-term serial follow-up study of 1244 patients with claudication (Aquino et al). 2001;34:962-71

Lymphangiectasis
Treatment of symptomatic primary chylous disorders (Noel et al). 2001;34:785-91

Lymphedema
Reversal of abnormal lymphoscintigraphy after placement of venous stents for correction of associated venous obstruction (Raju et al). 2001;34:779-84

M

Macrophages
MMP9 production by human monocyte-derived macrophages is decreased on polymerized type I collagen (Lepidi et al). 2001;34:1111-8

Magnetic resonance imaging (MRI)
Perfusion-weighted magnetic resonance imaging in patients with carotid artery disease before and after carotid endarterectomy (Doerfler et al). 2001;34:587-93

Magnetic resonance spectroscopy; ***see*** **Nuclear magnetic resonance**

Matas, Rudolph
The complex life of Rudolph Matas (Ochsner). 2001;34:38387-392
Rudolph Matas-how I remember him: an interview with Dr Michael E. DeBakey (Gregory). 2001;34:384-6

Materials testing
Multicenter evaluation of a polyurethaneurea vascular access graft as compared with the expanded polytetrafluoroethylene vascular access graft in hemodialysis applications (Glickman et al). 2001;34:465-73

Matrix metalloproteinase-1; ***see*** **Interstitial collagenase**

Matrix metalloproteinase-2; ***see*** **Gelatinase A**

Matrix metalloproteinase-9; ***see*** **Gelatinase B**

Matrix metalloproteinases
Pathogenesis of abdominal aortic aneurysms: a multidisciplinary research program supported by the National Heart, Lung, and Blood Institute (Wassef et al). 2001;34:730-8
Role of matrix metalloproteinases 1, 2, and 9 and tissue inhibitor of matrix metalloproteinase-1 in chronic venous insufficiency (Saito et al). 2001;34:930-8

Medicare
Impact of Medicare denials on noninvasive vascular diagnostic testing (Passman et al). 2001;34:846-53

Mesenteric arteries
Colonic necrosis subsequent to catheter-directed thrombin embolization of the inferior mesenteric artery via the superior mesenteric artery: a complication in the management of a type II endoleak (Bush et al). 2001;34:1071-8 (Case rep.)

Mesenteric vascular occlusion
Acute mesenteric venous thrombosis: case for nonoperative management (Brunaud et al). 2001;34:673-9
Mesenteric venous thrombosis: a changing clinical entity (Morasch et al). 2001;34:680-4
The outcome in the United States after thoracoabdominal aortic aneurysm repair, renal artery bypass, and mesenteric revascularization (Derrow et al). 2001;34:54-61

Metalloproteinases; ***see*** **Matrix metalloproteinases**

Midwestern Vascular Surgical Society
Presidential address: Vascular surgery and the Midwestern Vascular Surgical Society in the new millennium (Whitehouse). 2001;34:1-4

Models, mathematical
Simple geometric characteristics fail to reliably predict abdominal aortic aneurysm wall stresses (Hua and Mower). 2001;34:308-15

Monoclonal antibodies
Intra-arterial thrombin injection of an ascending aortic pseudoaneurysm complicated by transient ischemic attack and rescued with systemic abciximab (Lin et al). 2001;34:939-42 (Case rep.)
Monocyte adhesion to human vein grafts: a marker for occult intraoperative injury? (Eslami et al). 2001;34:923-9
Overexpression of the focal adhesion kinase (p125FAK) in the vascular smooth muscle cells of intimal hyperplasia (Owens et al). 2001;34:344-9

Mortality
Preoperative risk factors for 30-day mortality after elective surgery for vascular disease in Department of Veterans

Affairs hospitals: is race important? (Collins et al). 2001;34:634-40
Ruptured abdominal aortic aneurysms: the excessive mortality rate of conventional repair (Noel et al). 2001;34:41-6
Traumatic rupture of the thoracic aorta: cohort study and systematic review (Jahromi et al). 2001;34:1029-34

Moyamoya disease
Adult moyamoya disease with peripheral artery involvement (Weber et al). 2001;34:943-6 (Case rep.)

Muscle, skeletal
Functional outcome of new blood vessel growth into ischemic skeletal muscle (Lee et al). 2001;34:1096-1102
Mitochondrial function and oxygen supply in normal and in chronically ischemic muscle: a combined 31P magnetic resonance spectroscopy and near-infrared spectroscopy study in vivo (Kemp et al). 2001;34:1103-10

Muscle, smooth, vascular
Apolipoprotein J inhibits the migration, adhesion, and proliferation of vascular smooth muscle cells (Sivamurthy et al). 2001;34:716-23
Endoluminal smooth muscle cell seeding limits intimal hyperplasia (Gomes et al). 2001;34:707-15
Nitric oxide inhibition increases matrix metalloproteinase-9 expression by rat aortic smooth muscle cells in vitro (Upchurch et al). 2001;34:76-83
Overexpression of the focal adhesion kinase (p125FAK) in the vascular smooth muscle cells of intimal hyperplasia (Owens et al). 2001;34:344-9

N

Neovascularization
Abdominal compartment syndrome after mesenteric revascularization (Sullivan et al). 2001;34:559-61 (Case rep.)
Functional outcome of new blood vessel growth into ischemic skeletal muscle (Lee et al). 2001;34:1096-1102
Inhibition of neointima formation in an organ culture of human saphenous vein: a comparison of dual endothelin-converting enzyme/neutral endopeptidase and selective neutral endopeptidase inhibition (Porter et al). 2001;34:548-54

Neurofibromatoses
Spontaneous aortic dissection and rupture in a patient with neurofibromatosis (Chew et al). 2001;34:364-6 (Case rep.)

Nitric oxide
Nitric oxide inhibition increases matrix metalloproteinase-9 expression by rat aortic smooth muscle cells in vitro (Upchurch et al). 2001;34:76-83

Nitric oxide, endothelium-derived; ***see*** **Endothelium-derived relaxing factor**

Nitric oxide synthase
Adenovirus-mediated gene transfer of human inducible nitric oxide synthase in porcine vein grafts inhibits intimal hyperplasia (Kibbe et al). 2001;34:156-65

Nuclear magnetic resonance
Mitochondrial function and oxygen supply in normal and in chronically ischemic muscle: a combined 31P magnetic resonance spectroscopy and near-infrared spectroscopy study in vivo (Kemp et al). 2001;34:1103-10

O

Obituaries
John Marshall Porter, MD (1938-2001) (Moneta). 2001;34:189
A tribute to Henry Haimovici, September 7, 1907-July 10, 2001 (Veith and Ascher). 2001;34:1135-6

Outcome assessment (health care)
Dartmouth Atlas of Vascular Health Care review: impact of hospital volume, surgeon volume, and training on outcome (Huber and Seeger). 2001;34:748-50 (Case rep.)
Lifeline Registry: collaborative evaluation of endovascular aneurysm repair (White et al). 2001;34:1139-46
Outcome assessment: a new approach to the maintenance of board certification in vascular surgery (Hertzer). 2001;34:371-3
Preoperative risk factors for 30-day mortality after elective surgery for vascular disease in Department of Veterans Affairs hospitals: is race important? (Collins et al). 2001;34:634-40

Oxygen
Day-to-day variability of transcutaneous oxygen tension in patients with diabetes mellitus and peripheral arterial occlusive disease (Jörneskog et al). 2001;34:277-82

P

Patient discharge
A prospective study of discharge disposition after vascular surgery (Crouch et al). 2001;34:62-8
Regarding: "Timing of postcarotid complications: a guide to safe discharge planning" (Ricotta). 2001;34:178-9 (Invited comment)
Timing of postcarotid complications: a guide to safe discharge planning (Sheehan et al). 2001;34:13-16

Pelvic pain
The nutcracker syndrome: its role in the pelvic venous disorders (Scultetus et al). 2001;34:812-19

Peripheral vascular diseases
Adult moyamoya disease with peripheral artery involvement (Weber et al). 2001;34:943-6 (Case rep.)
Danazol and limb-threatening arterial thrombosis: two case reports (Alvarado et al). 2001;34:1123-8 (Case rep.)
Distal aortic diameter and peripheral arterial occlusive disease (Bosch et al). 2001;34:1085-9
Mitochondrial function and oxygen supply in normal and in chronically ischemic muscle: a combined 31P magnetic resonance spectroscopy and near-infrared spectroscopy study in vivo (Kemp et al). 2001;34:1103-10

Phlebography
Computed tomographic venography is specific but not sensitive for diagnosis of acute lower-extremity deep venous thrombosis in patients with suspected pulmonary embolism (Peterson et al). 2001;34:798-804

Plasmin
Plasma levels of plasmin-antiplasmin-complexes are predictive for small abdominal aortic aneurysms expanding to operation-recommendable sizes (Lindholt et al). 2001;34:611-15

Platelet adhesion
Saratin, an inhibitor of von Willebrand factor-dependent platelet adhesion, decreases platelet aggregation and intimal hyperplasia in a rat carotid endarterectomy model (Cruz et al). 2001;34:724-9

Platelet aggregation inhibitors
Saratin, an inhibitor of von Willebrand factor-dependent platelet adhesion, decreases platelet aggregation and intimal hyperplasia in a rat carotid endarterectomy model (Cruz et al). 2001;34:724-9

Platelet endothelial cell adhesion molecule-1; *see* Antigens, CD31
Plethysmography, impedance
Evolution of deep venous thrombosis: a 2-year follow-up using duplex ultrasound scan and strain-gauge plethysmography (Haenen et al). 2001;34:649-55
Poetry
One leg trilogy (Johnson). 2001;34:572
Point-of-care systems
Bedside vena cava filter placement guided with intravascular ultrasound (Ebaugh et al). 2001;34:21-6
Polytetrafluoroethylene
Dual cell seeding and the use of zymogen tissue plasminogen activator to improve cell retention on polytetrafluoroethylene grafts (Yu et al). 2001;34:337-43
Multicenter evaluation of a polyurethaneurea vascular access graft as compared with the expanded polytetrafluoroethylene vascular access graft in hemodialysis applications (Glickman et al). 2001;34:465-73
Popliteal artery
Arterial dimensions in the lower extremities of patients with abdominal aortic aneurysms-no indications of a generalized dilating diathesis (Sandgren et al). 2001;34:1079-84
Percutaneous transluminal angioplasty of the femoropopliteal arteries in limbs with chronic critical lower limb ischemia (Löfberg et al). 2001;34:114-21
Popliteal vein
Nonsaphenous superficial vein reflux (Labropoulos et al). 2001;34:872-8
Porter, John Marshall
John Marshall Porter, MD (1938-2001) (Moneta). 2001;34:189 (Obituary)
Postoperative complications
Aneurysmal degeneration of the aorta after stent-graft repair of acute aortic dissection (Kato et al). 2001;34:513-18
Aneurysmal expansion of the visceral patch after thoracoabdominal aortic replacement: an argument for limiting patch size? (Dardik et al). 2001;34:405-10
Colonic necrosis subsequent to catheter-directed thrombin embolization of the inferior mesenteric artery via the superior mesenteric artery: a complication in the management of a type II endoleak (Bush et al). 2001;34:1071-8 (Case rep.)
Complications of lumbar drainage after thoracoabdominal aortic aneurysm repair (Weaver et al). 2001;34:623-7
Deep venous thrombosis in postoperative vascular surgical patients: a frequent finding without prophylaxis (Hollyoak et al). 2001;34:656-60
Detection of isolated hook fractures 36 months after implantation of the Ancure endograft: a cautionary note (Najibi et al). 2001;34:353-6 (Case rep.)
Determinants of carotid microembolization (Golledge et al). 2001;34:1060-4
Embolization of type II endoleaks after aortic stent-graft implantation: technique and immediate results (Haulon et al). 2001;34:600-5
Endoleak after endovascular repair of abdominal aortic aneurysm (Chuter et al). 2001;34:98-105
Endotension after endovascular aneurysm repair: the Ancure experience (Meier et al). 2001;34:421-7
Endovascular repair of bleeding aortoenteric fistulas: a 5-year experience (Burks et al). 2001;34:1055-9
Eversion technique increases the risk for post-carotid endarterectomy hypertension (Mehta et al). 2001;34:839-45
Exclusion of accessory renal arteries during endovascular repair of abdominal aortic aneurysms (Aquino et al). 2001;34:878-84
Expanded application of in situ replacement for prosthetic graft infection (Bandyk et al). 2001;34:411-20
Femoral artery infections associated with percutaneous arterial closure devices (Johanning et al). 2001;34:983-5
Identification and implications of transgraft microleaks after endovascular repair of aortic aneurysms (Matsumura et al). 2001;34:190-7
Infected aortic aneurysms: aggressive presentation, complicated early outcome, but durable result (Oderich et al). 2001;34:900-8
Intra-aneurysmal pressure after incomplete endovascular exclusion (Parodi et al). 2001;34:909-14
An operative method for surgical revision of a late failure after endovascular repair of an abdominal aortic aneurysm (Anwar et al). 2001;34:357-9 (Case rep.)
Regarding: "Timing of postcarotid complications: a guide to safe discharge planning" (Ricotta). 2001;34:178-9 (Invited comment)
Regarding "Identification and implications of transgraft microleaks after endovascular repair of aortic aneurysms" (May). 2001;34:369-70
Risk of spinal cord ischemia after endograft repair of thoracic aortic aneurysms (Gravereaux et al). 2001;34:997-1003
Serious complications that require surgical interventions after endoluminal stent-graft placement for the treatment of infrarenal aortic aneurysms (Schlensak et al). 2001;34:198-203
Sloughing of the scrotal skin and impotence subsequent to bilateral hypogastric artery embolization for endovascular aortoiliac aneurysm repair (Lin et al). 2001;34:748-50 (Case rep.)
Tibia fracture after fibula resection for distal peroneal bypass (Kahn et al). 2001;34:979-82
Timing of postcarotid complications: a guide to safe discharge planning (Sheehan et al). 2001;34:13-16
Traumatic rupture of the thoracic aorta: cohort study and systematic review (Jahromi et al). 2001;34:1029-34
Pressure
Home use of impulse compression of the foot and compression stockings in the treatment of chronic venous insufficiency (Arcelus et al). 2001;34:805-11
Professional competence
Presidential address: Towards competence in vascular care (Ricotta). 2001;34:955-61
Prospective studies
A prospective study of discharge disposition after vascular surgery (Crouch et al). 2001;34:62-8
Protein-tyrosine kinase
Overexpression of the focal adhesion kinase (p125FAK) in the vascular smooth muscle cells of intimal hyperplasia (Owens et al). 2001;34:344-9
Pulmonary embolism
Computed tomographic venography is specific but not sensitive for diagnosis of acute lower-extremity deep venous thrombosis in patients with suspected pulmonary embolism (Peterson et al). 2001;34:798-804

Q

Quality of life
Do varicose veins affect quality of life? Results of an international population-based study (Kurz et al). 2001;34:641-8

R

Race
Preoperative risk factors for 30-day mortality after elective surgery for vascular disease in Department of Veterans Affairs hospitals: is race important? (Collins et al). 2001; 34:634-40

Radial artery
Forearm arteries entrapment syndrome: a rare cause of recurrent angioaccess thrombosis (Chemla et al). 2001;34: 743-7 (Case rep.)

Randomized controlled trials
Carotid endarterectomy: a champion turns fifty (Friedman). 2001;34:569-71
Use of doxycycline to decrease the growth rate of abdominal aortic aneurysms: a randomized, double-blind, placebo-controlled pilot study (Mosorin et al). 2001;34:606-10

Registries
Lifeline Registry: collaborative evaluation of endovascular aneurysm repair (White et al). 2001;34:1139-46

Renal artery
Exclusion of accessory renal arteries during endovascular repair of abdominal aortic aneurysms (Aquino et al). 2001;34:878-84
The outcome in the United States after thoracoabdominal aortic aneurysm repair, renal artery bypass, and mesenteric revascularization (Derrow et al). 2001;34:54-61
Saccular renal artery aneurysm treated with an autologous vein-covered stent (Rikimaru et al). 2001;34:169-71 (Case rep.)
Simultaneous aortic replacement and renal artery revascularization: the influence of preoperative renal function on early risk and late outcome (Tsoukas et al). 2001;34:1041-9
Traumatic renal artery dissection identified with dynamic helical computed tomography (Dobrilovic et al). 2001;34: 562-4 (Case rep.)

Renal artery obstruction
Is prosthetic renal artery reconstruction a durable procedure? An analysis of 389 bypass grafts (Paty et al). 2001;34: 127-32
Percutaneous transluminal revascularization for renal artery stenosis: Veterans Affairs Puget Sound Health Care System experience (Yutan et al). 2001;34:685-93

Renal veins
The nutcracker syndrome: its role in the pelvic venous disorders (Scultetus et al). 2001;34:812-19

Reperfusion injury
An adenosine A2A agonist, ATL-146e, reduces paralysis and apoptosis during rabbit spinal cord reperfusion (Cassada et al). 2001;34:482-8
PECAM-1/IgG attenuates peroxynitrite-mediated extremity reperfusion injury (Farooq et al). 2001;34:555-8

Revascularization
Ancillary techniques to facilitate endovascular repair of aortic aneurysms (Yano et al). 2001;34:69-75
Aneurysmal expansion of the visceral patch after thoracoabdominal aortic replacement: an argument for limiting patch size? (Dardik et al). 2001;34:405-10
Cost-effectiveness of oral anticoagulants versus aspirin in patients after infrainguinal bypass grafting surgery (Oostenbrink et al). 2001;34:254-62
The durability of endoscopic saphenous vein grafts: a 5-year observational study (Jordan et al). 2001;34:434-9
Efficacy and durability of autogenous saphenous vein conduits for lower extremity arterial reconstructions in preadolescent children (Cardneau et al). 2001;34:34-40
Endoscopically assisted in situ lower extremity bypass graft: a preliminary report of a new minimally invasive technique (Suggs et al). 2001;34:668-72
Infrainguinal revascularizations in octogenarians and septuagenarians (Chang and Stein). 2001;34:133-8
Internal iliac artery revascularization as an adjunct to endovascular repair of aortoiliac aneurysms (Faries et al). 2001; 34:892-9
Long-term results justify autogenous infrainguinal bypass grafting in patients with end-stage renal failure (Meyerson et al). 2001;34:27-33
The outcome in the United States after thoracoabdominal aortic aneurysm repair, renal artery bypass, and mesenteric revascularization (Derrow et al). 2001;34:54-61
Percutaneous transluminal revascularization for renal artery stenosis: Veterans Affairs Puget Sound Health Care System experience (Yutan et al). 2001;34:685-93
Postoperative and amputation-free survival outcomes after femorodistal bypass grafting surgery: findings from the Department of Veterans Affairs National Surgical Quality Improvement Program (Feinglass et al). 2001;34:283-90
Remodeling and suppression of intimal hyperplasia of vascular grafts with a distal arteriovenous fistula in a rat model (Qin et al). 2001;34:701-6
Simultaneous aortic replacement and renal artery revascularization: the influence of preoperative renal function on early risk and late outcome (Tsoukas et al). 2001;34:1041-9
Superior vena cava syndrome: relief with a modified saphenojugular bypass graft (Panneton et al). 2001;34:360-3 (Case rep.)
Tibia fracture after fibula resection for distal peroneal bypass (Kahn et al). 2001;34:979-82

Reviewers
Distinguished reviewers. 2001;34:1147

Rheology
Intraoperative flow predicts the development of stenosis in infrainguinal vein grafts (Ihlberg et al). 2001;34:269-76

Risk assessment
Influence of NASCET/ACAS trial eligibility on outcome after carotid endarterectomy (Lepore et al). 2001;34:581-6
Preoperative risk factors for 30-day mortality after elective surgery for vascular disease in Department of Veterans Affairs hospitals: is race important? (Collins et al). 2001;34: 634-40

S

Saphenous vein
The durability of endoscopic saphenous vein grafts: a 5-year observational study (Jordan et al). 2001;34:434-9
Efficacy and durability of autogenous saphenous vein conduits for lower extremity arterial reconstructions in preadolescent children (Cardneau et al). 2001;34:34-40
Endoscopically assisted in situ lower extremity bypass graft: a preliminary report of a new minimally invasive technique (Suggs et al). 2001;34:668-72
Fascial relationships of the short saphenous vein (Caggiati). 2001;34:241-6
Inhibition of neointima formation in an organ culture of human saphenous vein: a comparison of dual endothelin-converting enzyme/neutral endopeptidase and selective neutral endopeptidase inhibition (Porter et al). 2001;34: 548-54
Late recurrent saphenofemoral junction reflux after ligation and stripping of the greater saphenous vein (Fischer et al). 2001;34:236-40

Most incompetent calf perforating veins are found in association with superficial venous reflux (Stuart et al). 2001;34:774-8
Saccular renal artery aneurysm treated with an autologous vein-covered stent (Rikimaru et al). 2001;34:169-71 (Case rep.)
Superior vena cava syndrome: relief with a modified saphenojugular bypass graft (Panneton et al). 2001;34:360-3 (Case rep.)

Scintigraphy
Reversal of abnormal lymphoscintigraphy after placement of venous stents for correction of associated venous obstruction (Raju et al). 2001;34:779-84

Scrotum
Sloughing of the scrotal skin and impotence subsequent to bilateral hypogastric artery embolization for endovascular aortoiliac aneurysm repair (Lin et al). 2001;34:748-50 (Case rep.)

Sex factors
Abdominal aortic aneurysm in women (Lederle et al). 2001;34:122-6

Societies, medical
The Southern Association for Vascular Surgery: the beginning (Ernst). 2001;34:381-3

Society for Clinical Vascular Surgery
Presidential address: a belated obituary (Webster). 2001;34:826-30

Southern Association for Vascular Surgery
Contribution of the Southern Association for Vascular Surgery to the scientific literature (Huber and Seeger). 2001;34:393-6
Photographs from the twenty-fifth annual meeting. 2001;34:397
Presidential address: a brief history of arterial blood flow-from Harvey and Newton to computational analysis (Archie). 2001;34:398-404
Rudolph Matas-how I remember him: an interview with Dr Michael E. DeBakey (Gregory). 2001;34:384-6
The Southern Association for Vascular Surgery: the beginning (Ernst). 2001;34:381-3

Spectroscopy, magnetic resonance; *see* Nuclear magnetic resonance

Spectroscopy, near-infrared
Mitochondrial function and oxygen supply in normal and in chronically ischemic muscle: a combined 31P magnetic resonance spectroscopy and near-infrared spectroscopy study in vivo (Kemp et al). 2001;34:1103-10

Spinal cord
Thoracic and thoracoabdominal aortic aneurysm repair: use of evoked potential monitoring in 118 patients (Dongen et al). 2001;34:1035-40

Spinal cord ischemia
Identification of the critical spinal arteries with F wave-polysynaptic response complex monitoring: an experimental study (Iyori et al). 2001;34:330-6
Risk of spinal cord ischemia after endograft repair of thoracic aortic aneurysms (Gravereaux et al). 2001;34:997-1003

Stents
Ancillary techniques to facilitate endovascular repair of aortic aneurysms (Yano et al). 2001;34:69-75
Aneurysmal degeneration of the aorta after stent-graft repair of acute aortic dissection (Kato et al). 2001;34:513-18
Aortic Slimgraft: ex vivo and in vivo study (Kerr et al). 2001;34:350-2
Behçet's disease: endovascular management of a ruptured peripheral arterial aneurysm (Kasirajan et al). 2001;34:1127-9 (Case rep.)
Early experience with the bifurcated Excluder endoprosthesis for treatment of the abdominal aortic aneurysm (Bush et al). 2001;34:497-502
Embolization of type II endoleaks after aortic stent-graft implantation: technique and immediate results (Haulon et al). 2001;34:600-5
Endovascular repair of para-anastomotic aneurysms of the aorta and iliac arteries: preferred treatment for a complex problem (Morrissey et al). 2001;34:503-12
External iliac and common iliac artery angioplasty and stenting in men and women (Timaran et al). 2001;34:440-6
Impact of endovascular repair on open aortic aneurysm surgical training (Arko et al). 2001;34:885-91
Infrainguinal arterial reconstructions in patients with aortoiliac occlusive disease: the influence of iliac stenting (Timaran et al). 2001;34:971-8
An operative method for surgical revision of a late failure after endovascular repair of an abdominal aortic aneurysm (Anwar et al). 2001;34:357-9 (Case rep.)
Reversal of abnormal lymphoscintigraphy after placement of venous stents for correction of associated venous obstruction (Raju et al). 2001;34:779-84
Saccular renal artery aneurysm treated with an autologous vein-covered stent (Rikimaru et al). 2001;34:169-71 (Case rep.)
Serious complications that require surgical interventions after endoluminal stent-graft placement for the treatment of infrarenal aortic aneurysms (Schlensak et al). 2001;34:198-203
Transluminal placement of endovascular stent-grafts for the treatment of type A aortic dissection with an entry tear in the descending thoracic aorta (Kato et al). 2001;34:1023-8

Stroke; *see* Cerebrovascular accident

Suggested reading abstracts
Suggested reading abstracts. 2001;34:185-6, 376-7, 575

Superior vena cava syndrome
Superior vena cava syndrome: relief with a modified saphenojugular bypass graft (Panneton et al). 2001;34:360-3 (Case rep.)

Surgical Ethics Challenges
Surgical Ethics Challenges. 2001;34:942, 1133-4

Surgical stapling
A new vascular Endostaple: a technical description (Trout and Tanner). 2001;34:565-8

Survival analysis
Postoperative and amputation-free survival outcomes after femorodistal bypass grafting surgery: findings from the Department of Veterans Affairs National Surgical Quality Improvement Program (Feinglass et al). 2001;34:283-90

Sutures
Femoral artery infections associated with percutaneous arterial closure devices (Johanning et al). 2001;34:983-5
A new vascular Endostaple: a technical description (Trout and Tanner). 2001;34:565-8

T

Takayasu's arteritis
Extracranial carotid aneurysm in Takayasu's arteritis (Tabata et al). 2001;34:739-42 (Case rep.)

Technical notes
Technical notes. 2001;34:172, 947-51

Thoracic outlet syndrome
Regarding "Long-term functional outcome of neurogenic thoracic outlet syndrome in surgically and conservatively treated patients" (Molina) (Letter); (Landry and Porter) (Reply). 2001;34:760-1
Thrombin
Intra-arterial thrombin injection of an ascending aortic pseudoaneurysm complicated by transient ischemic attack and rescued with systemic abciximab (Lin et al). 2001;34:939-42 (Case rep.)
Thrombocytopenia
Lepirudin is a safe and effective anticoagulant for patients with heparin-associated antiplatelet antibodies (Mudaliar et al). 2001;34:17-20
Thromboembolism
Diagnosis and treatment of paradoxical embolus (Travis et al). 2001;34:860-5
Thrombolytic therapy
Acute arterial thrombosis causes endothelial dysfunction: a new paradigm for thrombolytic therapy (Kashyap et al). 2001;34:323-9
Combined therapeutic approach of intra-arterial thrombolysis and carotid endarterectomy in selected patients with acute thrombotic carotid occlusion (Uno et al). 2001;34:532-40
Thromboplastin
Topically applied tissue factor pathway inhibitor reducing intimal thickness of small arterial autografts in rabbits (Sun et al). 2001;34:151-5
Thrombosis
Acute arterial thrombosis causes endothelial dysfunction: a new paradigm for thrombolytic therapy (Kashyap et al). 2001;34:323-9
Association of intraluminal thrombus in abdominal aortic aneurysm with local hypoxia and wall weakening (Vorp et al). 2001;34:291-9
Danazol and limb-threatening arterial thrombosis: two case reports (Alvarado et al). 2001;34:1123-8 (Case rep.)
Tibial fractures
Tibia fracture after fibula resection for distal peroneal bypass (Kahn et al). 2001;34:979-82
Tissue factors; *see* Thromboplastin
Tissue plasminogen activator
Dual cell seeding and the use of zymogen tissue plasminogen activator to improve cell retention on polytetrafluoroethylene grafts (Yu et al). 2001;34:337-43
Safety and efficacy of limited-dose tissue plasminogen activator in acute vascular occlusion (Shortell et al). 2001;34:854-9
Tomography, x-ray computed
Computed tomographic venography is specific but not sensitive for diagnosis of acute lower-extremity deep venous thrombosis in patients with suspected pulmonary embolism (Peterson et al). 2001;34:798-804
Traumatic renal artery dissection identified with dynamic helical computed tomography (Dobrilovic et al). 2001;34:562-4 (Case rep.)
Torsion
Impact of aortoiliac tortuosity on endovascular repair of abdominal aortic aneurysms: evaluation of 3D computer-based assessment (Wolf et al). 2001;34:594-9
Tourniquets
Controlled ischemia for complex venous surgery: the technique of choice (Villavicencio et al). 2001;34:947-51 (Tech. note)
Transforming growth factors
Role of matrix metalloproteinases 1, 2, and 9 and tissue inhibitor of matrix metalloproteinase-1 in chronic venous insufficiency (Saito et al). 2001;34:930-8
Transplantation, homologous
Use of cryopreserved cadaveric vein allograft for hemodialysis access precludes kidney transplantation because of allosensitization (Benedetto et al). 2001;34:139-42
Treatment outcome
Acute mesenteric venous thrombosis: case for nonoperative management (Brunaud et al). 2001;34:673-9
Anatomical considerations in the surgical management of blunt thoracic aortic injury (Carter et al). 2001;34:628-33
Influence of NASCET/ACAS trial eligibility on outcome after carotid endarterectomy (Lepore et al). 2001;34:581-6
Is bilateral ultrasound scanning of the legs necessary for patients with unilateral symptoms of deep vein thrombosis? (Garcia et al). 2001;34:791-7
Long-term results of cryopreserved arterial allograft reconstruction in infected prosthetic grafts and mycotic aneurysms of the abdominal aorta (Lesèche et al). 2001;34:616-22
Mesenteric venous thrombosis: a changing clinical entity (Morasch et al). 2001;34:680-4
The outcome in the United States after thoracoabdominal aortic aneurysm repair, renal artery bypass, and mesenteric revascularization (Derrow et al). 2001;34:54-61
Postoperative and amputation-free survival outcomes after femorodistal bypass grafting surgery: findings from the Department of Veterans Affairs National Surgical Quality Improvement Program (Feinglass et al). 2001;34:283-90
Regarding "Long-term functional outcome of neurogenic thoracic outlet syndrome in surgically and conservatively treated patients" (Molina) (Letter); (Landry and Porter) (Reply). 2001;34:760-1
Results of endovascular superficial femoral endarterectomy (Nelson et al). 2001;34:526-31
Simultaneous aortic replacement and renal artery revascularization: the influence of preoperative renal function on early risk and late outcome (Tsoukas et al). 2001;34:1041-9
Treatment of symptomatic primary chylous disorders (Noel et al). 2001;34:785-91
Treatment refusal
Religiously based treatment refusal (Jones and McCullough). 2001;34:952
Tunica intima
Adenovirus-mediated gene transfer of human inducible nitric oxide synthase in porcine vein grafts inhibits intimal hyperplasia (Kibbe et al). 2001;34:156-65
Altered ubiquitin / proteasome expression in anastomotic intimal hyperplasia (Stone et al). 2001;34:1016-22
Effects of anastomotic angle on vascular tissue responses at end-to-end arterial grafts (Jackson et al). 2001;34:300-7
The effects of extremely low shear stress on cellular proliferation and neointimal thickening in the failing bypass graft (Meyerson et al). 2001;34:90-7. Correction 2001;34:580
Endoluminal smooth muscle cell seeding limits intimal hyperplasia (Gomes et al). 2001;34:707-15
Overexpression of the focal adhesion kinase (p125FAK) in the vascular smooth muscle cells of intimal hyperplasia (Owens et al). 2001;34:344-9
Remodeling and suppression of intimal hyperplasia of vascular grafts with a distal arteriovenous fistula in a rat model (Qin et al). 2001;34:701-6

Saratin, an inhibitor of von Willebrand factor-dependent platelet adhesion, decreases platelet aggregation and intimal hyperplasia in a rat carotid endarterectomy model (Cruz et al). 2001;34:724-9

Topically applied tissue factor pathway inhibitor reducing intimal thickness of small arterial autografts in rabbits (Sun et al). 2001;34:151-5

U

Ubiquitin

Altered ubiquitin / proteasome expression in anastomotic intimal hyperplasia (Stone et al). 2001;34:1016-22

Ulnar artery

Forearm arteries entrapment syndrome: a rare cause of recurrent angioaccess thrombosis (Chemla et al). 2001;34:743-7 (Case rep.)

Ultrasonography

Bedside vena cava filter placement guided with intravascular ultrasound (Ebaugh et al). 2001;34:21-6

Ultrasonography, Doppler, duplex

Comparison of color-flow Doppler scanning, power Doppler scanning, and frequency shift for assessment of carotid artery stenosis (Müller et al). 2001;34:1090-5

Determinants of carotid microembolization (Golledge et al). 2001;34:1060-4

Duplex scanning allows selective use of arteriography in the management of patients with severe lower leg arterial disease (Koelemay et al). 2001;34:661-7

Enoxaparin treatment in high-risk trauma patients limits the utility of surveillance venous duplex scanning (Schwarcz et al). 2001;34:447-52

Evolution of deep venous thrombosis: a 2-year follow-up using duplex ultrasound scan and strain-gauge plethysmography (Haenen et al). 2001;34:649-55

Identification and implications of transgraft microleaks after endovascular repair of aortic aneurysms (Matsumura et al). 2001;34:190-7

Is bilateral ultrasound scanning of the legs necessary for patients with unilateral symptoms of deep vein thrombosis? (Garcia et al). 2001;34:791-7

Underlying factors influencing the development of the post-thrombotic limb (O'Shaughnessy and FitzGerald). 2001;34:247-53

United States Food and Drug Administration

The Food and Drug Administration approval of endovascular grafts for abdominal aortic aneurysm: an 18-month retrospective (Sapirstein et al). 2001;34:180-3 (Editorial)

Urokinase

Safety and efficacy of limited-dose tissue plasminogen activator in acute vascular occlusion (Shortell et al). 2001;34:854-9

V

Varicose veins

Do varicose veins affect quality of life? Results of an international population-based study (Kurz et al). 2001;34:641-8

Late recurrent saphenofemoral junction reflux after ligation and stripping of the greater saphenous vein (Fischer et al). 2001;34:236-40

Most incompetent calf perforating veins are found in association with superficial venous reflux (Stuart et al). 2001;34:774-8

Regarding "Does surgical correction of the superficial femoral vein valve change the course of varicose disease?" (Guarnera) (Letter); (Lurie) (Reply). 2001;34:374-5

Vascular diseases

Myths, mystique, and misconceptions of venous disease (Comerota). 2001;34:765-73

Nonsaphenous superficial vein reflux (Labropoulos et al). 2001;34:872-8

Vascular surgery

Contribution of the Southern Association for Vascular Surgery to the scientific literature (Huber and Seeger). 2001;34:393-6

Outcome assessment: a new approach to the maintenance of board certification in vascular surgery (Hertzer). 2001;34:371-3

Presidential address: A belated obituary (Webster). 2001;34:826-30

Presidential address: Towards competence in vascular care (Ricotta). 2001;34:955-61

Presidential address: Vascular surgery and the Midwestern Vascular Surgical Society in the new millennium (Whitehouse). 2001;34:1-4

A prospective study of discharge disposition after vascular surgery (Crouch et al). 2001;34:62-8

The Southern Association for Vascular Surgery: the beginning (Ernst). 2001;34:381-3

Vascular surgical procedures

Aneurysms of the innominate artery: surgical treatment of 27 patients (Kieffer et al). 2001;34:222-8

Aortic Slimgraft: ex vivo and in vivo study (Kerr et al). 2001;34:350-2

Controlled ischemia for complex venous surgery: the technique of choice (Villavicencio et al). 2001;34:947-51 (Tech. note)

Deep venous thrombosis in postoperative vascular surgical patients: a frequent finding without prophylaxis (Hollyoak et al). 2001;34:656-60

Impact of reintervention for failing upper-extremity arteriovenous autogenous access for hemodialysis (Hingorani et al). 2001;34:1004-9

Minimal incision aortic surgery (Turnipseed et al). 2001;34:47-53

Presidential address: Vascular surgery and the Midwestern Vascular Surgical Society in the new millennium (Whitehouse). 2001;34:1-4

Regarding "Surgical treatment of venous malformation in Kippel-Trénaunay syndrome" (Dimikakos and Portinos) (Letter); (Noel and Gloviczki) (Reply). 2001;34:573-4

A technique for adequate coverage of the proximal suture line during abdominal aortic aneurysm repair (Kaza et al). 2001;34:367-8 (Tech. note)

Traumatic rupture of the thoracic aorta: cohort study and systematic review (Jahromi et al). 2001;34:1029-34

Treatment of symptomatic primary chylous disorders (Noel et al). 2001;34:785-91

Vessel loops made easy (Stahlfeld and Parker). 2001;34:172 (Tech. note)

Vena cava filters

Bedside vena cava filter placement guided with intravascular ultrasound (Ebaugh et al). 2001;34:21-6

Long-term follow-up of Greenfield inferior vena cava filter placement in children (Cahn et al). 2001;34:820-5

Venous insufficiency

Home use of impulse compression of the foot and compres-

sion stockings in the treatment of chronic venous insufficiency (Arcelus et al). 2001;34:805-11
Improved hemodynamic effectiveness and associated clinical correlations of a new intermittent pneumatic compression system in patients with chronic venous insufficiency (Kakkos et al). 2001;34:915-22
Most incompetent calf perforating veins are found in association with superficial venous reflux (Stuart et al). 2001;34:774-8
Myths, mystique, and misconceptions of venous disease (Comerota). 2001;34:765-73
Nonsaphenous superficial vein reflux (Labropoulos et al). 2001;34:872-8
Regarding "Does surgical correction of the superficial femoral vein valve change the course of varicose disease?" (Guarnera) (Letter); (Lurie) (Reply). 2001;34:374-5
Role of matrix metalloproteinases 1, 2, and 9 and tissue inhibitor of matrix metalloproteinase-1 in chronic venous insufficiency (Saito et al). 2001;34:930-8
Safety and efficacy of limited-dose tissue plasminogen activator in acute vascular occlusion (Shortell et al). 2001;34:854-9

Venous pressure

Improved hemodynamic effectiveness and associated clinical correlations of a new intermittent pneumatic compression system in patients with chronic venous insufficiency (Kakkos et al). 2001;34:915-22
Influence of poststenotic collateral pressure on blood flow velocities within high-grade carotid artery stenosis: differences between morphologic and functional measurements (Zachrisson et al). 2001;34:263-8
Intra-aneurysmal pressure after incomplete endovascular exclusion (Parodi et al). 2001;34:909-14
Pressure measurements in closed aneurysmal sac during abdominal aortic aneurysm resection (Hans et al). 2001;34:519-25

Venous thrombosis

Acute mesenteric venous thrombosis: case for nonoperative management (Brunaud et al). 2001;34:673-9
A clinical comparison of pneumatic compression devices: the basis for selection (Proctor et al). 2001;34:459-64
Computed tomographic venography is specific but not sensitive for diagnosis of acute lower-extremity deep venous thrombosis in patients with suspected pulmonary embolism (Peterson et al). 2001;34:798-804
Deep venous thrombosis in postoperative vascular surgical patients: a frequent finding without prophylaxis (Hollyoak et al). 2001;34:656-60
Diagnosis and endovascular treatment of iliocaval compression syndrome (Hurst et al). 2001;34:106-13
Eligibility for home treatment of deep vein thrombosis: a prospective study in 202 consecutive patients (Schwarz et al). 2001;34:1065-70
Enoxaparin treatment in high-risk trauma patients limits the utility of surveillance venous duplex scanning (Schwarcz et al). 2001;34:447-52
Evaluation of a screening protocol to exclude the diagnosis of deep venous thrombosis among emergency department patients (Dryjski et al). 2001;34:1010-5
Evolution of deep venous thrombosis: a 2-year follow-up using duplex ultrasound scan and strain-gauge plethysmography (Haenen et al). 2001;34:649-55
Improved hemodynamic effectiveness and associated clinical correlations of a new intermittent pneumatic compression system in patients with chronic venous insufficiency (Kakkos et al). 2001;34:915-22
Is bilateral ultrasound scanning of the legs necessary for patients with unilateral symptoms of deep vein thrombosis? (Garcia et al). 2001;34:791-7
Mesenteric venous thrombosis: a changing clinical entity (Morasch et al). 2001;34:680-4
Myths, mystique, and misconceptions of venous disease (Comerota). 2001;34:765-73
Underlying factors influencing the development of the postthrombotic limb (O'Shaughnessy and FitzGerald). 2001;34:247-53

Video recording

Consent for an intraoperative video record (Jones and McCullough). 2001;34:1133-4

W

Wounds and injuries

Anatomical considerations in the surgical management of blunt thoracic aortic injury (Carter et al). 2001;34:628-33
Traumatic renal artery dissection identified with dynamic helical computed tomography (Dobrilovic et al). 2001;34:562-4 (Case rep.)